





# We make better products in a better way.

- » We select materials and processes that are more sustainable, and manufacturing that has less impact.
- » Our products are designed to be more efficient, reducing energy use and carbon impact.
- » We make products that are reliable, serviceable and built to last.



Our customers face complex and demanding challenges. Raising cleaning and hygiene standards for all, delivering increased productivity and significant contributions toward the urgent sustainability agenda, all pressing demands to the cleaning industry. Fulfilling today's demands and overcoming complex challenges requires professional cleaning solutions that deliver

#### **Performance You Can Trust.**

We continue to focus on truly understanding our customers' needs to better design and manufacture sustainable cleaning solutions that deliver on performance and reliability. At the centre of all Numatic product development and manufacturing are three core values: Innovation, Quality and Price. These values help us to increase productivity, cleaning standards and meet the demands of all industries, across the globe.

#### **Chris Duncan**

Chairman and Founder of Numatic International Limited

#### Sustainability

Sustainability Formula	4
Sustainable Development Goals	5
Sustainability in Action	6
ReFlo Technology	7
charity: water	8-9

#### Support

ouppoit	
Nu-Assist	10-1
Nu-Design	12-13
Nu-Track	14-1
ServiceCare	16-17
Numatic Hire	18-19
The Complete Cleaning Solution	20-2

#### **CleanCare**

Bringing power, performance	
and reliability to our commercial	
cleaning product range.	22-4
Kits	44-4

#### **ProCare**

Advanced, professional cleaning	
for the collection and control of	
dust and hazardous substances.	46-53
Kits	52

#### **FloorCare**

Providing innovative, reliable	
and effective floorcare solutions,	
even in the most demanding	
environments.	54-6
Brushes/Pads & Accessories	70-7

#### **VersaCare**

Raising cleaning standards and productivity with versatility, innovation and quality are at the core of our janitorial cleaning systems.



**Numatic International Limited** Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

©Numatic International Limited 2023. Specification subject to change without prior notice 913649 (UK) H1 2023 (V2)

#### **Building on Sustainability**

The Numatic Sustainability Formula is the foundation to all our product development and sustainable initiatives.

#### **Built to Last**

**Built to Last** Our products are built to last with tried, tested and trusted designs, ongoing innovations and a commitment to developing sustainable cleaning solutions.

#### Efficiency

We ensure our products are the most efficient for every user; from water and detergent usage to electricity consumption.

#### **Serviceability**

Our products are designed to be easily and economically serviced throughout their lifecycle. We commit to support every product we have ever made, since day one.

We are committed to developing products using high-quality, recycled plastic. Right from their initial design, our products are manufactured to be easily recycled at the end of their life.

We work hard to ensure zero waste goes to landfill and have achieved this since 2017.

### **Efficiency**

### **Serviceability**

Recycling

**Disposal** 

#### **Integrated Sustainability**

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.













# 66 Net Zero by 2035 JJ

2023



Reduce Plastic Packaging by

30% reduction in plastic packaging use (avg. KGs per unit) by end of 2022 and further 30% by end of 2023.

2023



Reduce Gas & Electric by

Reduce CCA (Climate Change Agreement) Measured Electricity & Gas usage by 10%, under agreed CCA targets, by end of 2023.

2023



Increase Manufacturing Efficiency by

Increase manufacturing efficiencies by

2024



Reduce Energy Use by

Lower energy use across the factory

2025



Increase Use of Recycled Plastic by

Increase use of recycled plastic in our 11" and 12" vacuum cleaners by 50% by end of 2025

#### We support the following Sustainable Development Goals (SDGs) of the United Nations:

























#### **Sustainability in Action**

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.



#### **ReFlo Technology**

Many of our products are engineered from our innovative, environmentally sustainable ReFlo Technology. We use the highest quality, recycled, post-industrial plastics, which are diverted from landfill.



#### **The Bigger Picture**

We've partnered with charity: water to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water. (See pages 8-9)



#### **Not Just Any Offsetting**

We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level. Visit: numatic.com/sustainability

#### **ReFlo Technology**

We continually review, refine and adapt our manufacturing processes to deliver even greater levels of sustainability throughout our product ranges.

Following extensive research and testing, we have introduced ReFlo Technology to our VersaCare and CleanCare ranges. Our teams are working hard to expand the use of sustainable materials across the Numatic product range, wherever possible.

Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification. Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.





MINIMUM 50% RECYCLED CONTEN **POST-CONSUMER** PRE-CONSUMER



WORKING IN PARTNERSHIP WITH:



For every purchase of a 244NX, Numatic will fund the equivalent of 5000L of water to projects around the world.

Sustainable and responsible usage of clean water is critical to reducing waste and energy. The 244NX optimises the use of clean water, leaving floors clean, dry, safe and hygienic. Switching from conventional mopping to the 244NX can save users 5000L of water per year.\*

We believe no person should be without clean, safe, running water.

That's why, in partnership with charity: water we are committed to helping run multiple projects a year to ensure those who need water the most, have access to it.

To do this, we pledge that for every purchase of a 244NX, we will fund 5000L of water to communities that need it.

Every 244NX funds 5000L of water

> to communities that need it.

Our initial project will take place in Madagascar, receiving 100% of the donations. of the population

currently lack safe drinking water.

Since 2021, we have donated

Our projects will make a real difference to communities.






785 million people

live without clean water

THAT'S ABOUT 1 IN 10 OF US

**Litres of Water to Projects** Around the World.







# NG-Assist

# **INCREASE CLEANING PRODUCTIVITY**

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.

- » 24/7 Access to Multilingual Training
- » On-hand Troubleshooting and Maintenance
- » Increased Cleaning Productivity
- » Product Training



#### **Training and Support Around the Clock**

#### **How it Works**

- 1. Scan the QR Code on the Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- 5. Complete Operator Training

#### **Download the App**







Troubleshooting Maintaining the Machine

Operating the Machine













Visit: numatic.com/apps/nu-assist

#### **Multilingual Support**

With Nu-Assist on-hand, you and your team have 24/7 access to multilingual training, troubleshooting and maintenance content from any device, increasing cleaning productivity across the board.

#### **Quick Start Guides**

Don't delay and get straight to business with our quick start guides. Learn how to get your machine up and running and start achieving those high-quality cleaning results as quickly as possible.

#### **Maintenance Videos**

Find out how to effectively maintain your machine in order to ensure maximum cleaning productivity, time and time again.

#### **Troubleshooting Videos**


Got a problem with your machine? Get help whenever you need it with Nu-Assist. Our wide range of handy troubleshooting videos help you to identify and resolve problems quickly and easily, meaning less down time and more time to get the job done.





Quick Start Videos





Finding a janitorial system that fits your needs completely can be a real challenge. Giving total freedom of choice to the user, Nu-Design offers the ultimate solution.

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection. The result; a reliable, functional and innovative cleaning system that fits your needs precisely.





Poor selection and configuration lowers cleaning standards and productivity.

- 1. Select your trolley base and castor options
- 2. Pick storage options that meet your needs exactly
- 3. Choose your mopping system, waste options, accessories and personalisation
- 4. Submit for an itemised breakdown and quote









Visit: numatic.com/apps/nu-design



# Nu-Track

Intelligent Fleet Management Telemetry, lowering costs and increasing productivity.

--- Asset Management

Understand how, when and where your cleaning fleet is operating. Each asset automatically uploads status, location and usage reports to the portal.

Maximise Return

Deploy machines effectively, based on environment, use and hours worked. Insights allow fleet managers to deploy newer assets to the most demanding environments and critical locations.

Intelligent Insights

Cleaning fleet data allows informed decision making for increased cleaning and productivity standards. Assured security and privacy using global cloud hosting means your data is secure and backed up using the latest hosting technology.

Maximum Operating Reliability

Manage and track servicing requirements to keep your cleaning fleet running smoothly, extending machine life and eliminate costly downtime.

Security & Prevention

Prevent unauthorised use beyond specified working environment using WiFi Technology. If a machine is moved beyond the Geo-Fence, an alert will be sent.

Available 2023 in the UK. Local market availability may vary.







# **FLOORCARE** SERVICING & SUPPORT

#### **ServiceCare**


We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.

We work with you at every turn, equipping you with all you need to maintain the highest cleaning standards.

For extra peace of mind, our full-service contracts cover you for any accidental damage or breakdowns, including two visits every year to service your machine.

**C** Our full-service contracts cover you for any accidental damage or breakdowns.

Get in touch... numatic.co.uk/servicecare



ServiceCare Packages	PROTECT Our Premium Package	<b>MAINTAIN</b> Our Standard Package
GETTING STARTED Our expert team will get you up and running on-site.	•	•
OPERATOR TRAINING Training provided on how to achieve best cleaning results.	•	•
SPECIALIST SUPPORT Contact with a specialist FloorCare customer care agent personally dealing with your case.	•	<b>②</b>
SERVICE VISITS You'll receive an on-site service visit twice a year from one of our engineers.	•	•
FITTING OF CONSUMABLES To maintain maximum performance, engineers will fit consumables during each service visit.	•	•
ONGOING TRAINING Keeping your team up-to-date with face-to-face training.	<b>②</b>	×
ON-SITE SUPPORT Our engineers come equipped and ready-to-go, carrying the necessary equipment and spares.	•	×
COMPLETE COVER Peace of mind for the 3-year period with all parts, labour and fair usage included.	•	×
YOU STAY CLEANING If we're unable to fix your machine, we'll provide a similar machine to minimise any disruptions.	<b>②</b>	X



#### **How it Works?**

#### Let's keep things simple and get you cleaning...

- 1. Tell us what your cleaning challenges are.
- 2. We'll help you select the right equipment for the task, deliver to site and get your team up and running in no time.
- 3. When you're done, we'll collect the equipment.

#### **ServiceCare Hire**

With ServiceCare Hire cover, we'll keep you cleaning with no additional or hidden costs.

When you hire direct, ServiceCare Hire cover is provided free of charge, offering the very best elements of our premium service package, tailored to hire users.



#### HIRE - Simplicity & Performance

The latest in professional cleaning equipment when you need it, direct from UK manufacturer.

#### Why Hire?


Hiring provides the **ultimate flexibility** with the latest cleaning equipment when you need it. Whether you need equipment for a week, 6 months or longer, we can flex around you.

- » The Kit You Need, from Vacuums to Scrubber Dryers
- » Short to Long-term Hire
- » Switch Equipment if Needed
- » ServiceCare Hire Cover Included
- » Online and In-person Training\*
- » Option to Extend or Purchase

\*In-person training for floor machines and scrubber dryers only.

**Looking for Lease options?** Visit: numatic.co.uk/lease





# CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

#### **CleanCare Contents**

Eco ReFlo Range	24-25
ProLine Range	26-27
Sanitise Pro Sprayers	28
Mains Cable Backpacks	29
Numatic Quick	30-31
NX300 Pro Cordless Network	32-33
Steel Tops	34-35
MicroLine	35
Aircraft Line	36
Dry Big Capacity Vacuums	37
Wet or Dry Vacuums	38
Wet Vacuums	39
Wet & Dry Vacuums	40
Carpet Extraction Vacuums	41-43
CleanCare Kits & Accessories	44-45









# **LOW ENERGY SUSTAINABLY MADE POWERFUL PERFORMANCE**



Using our 420W high-efficiency motor, the Eco ReFlo Range delivers powerful cleaning while reducing energy usage and cost.\*1

#### **Annual Energy Usage**

£318.24			900 Watts
£219.23		620 Watts	
£148.51	420 Watts		

Calculate your Savings at numatic.com



**Made from the highest** quality, recycled plastic.







### ECO REFLO RANGE REFLO



#### **ERP180**

- » High-efficiency, economical cleaning » Sustainably engineered from high-quality recycled plastic » Carpets, hard-floors, cars, stairs, DIY
- » Handy on-board tool storage
- » Plugged cable
- » 340x365x360mm (WxLxH)

8L 420W			6.0KG	
Capacity	Motor		Weight	
Power 230V / AC 50/60Hz				
Power Cord 10.0m Cleaning Range 26.0		ng Range <b>26.0m</b>		
Suction H <sub>2</sub> 0 <b>1750mm</b>		Kit <b>AS</b>	60 (see page 44)	



#### **EPR170\***

- » Equipped with our highest efficiency motor yet
- » Carpets, hard-floors, cars, stairs, DIY
- » Extra reach 12.5m cable with trouble-free cable rewind and additional on-board tool storage
- » Sustainably engineered from high-quality recycled plastic
- » Plugged cable
- » Emptying with no dust and no mess

» 300X370X390IIII	I (VVXLXI)	)		
7.2L	420W		8.1KG	
Capacity	Motor		Weight	
Power 230V / AC 50/60Hz				
Power Cord 12.5m		Clean	ng Range <b>31.0m</b>	
Suction H <sub>2</sub> 0 <b>1750mm</b>		Kit <b>A</b> S	<b>S0</b> (see page 44)	
		l		

\*Note: Not standard UK model, please contact your Numatic representative for information.

#### EPR170 HEPA\*

- » Equipped with our highest efficiency motor yet » Carpets, hard-floors, cars, stairs, DIY
- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » Sustainably engineered from high-quality recycled plastic
- » Plugged cable
  » Emptying with no dust and no mess
  » 360x370x390mm (WxLxH)

· · ·			
7.2L	420W		8.3KG
Capacity	Motor		Weight
Power 230V / AC 50/60Hz			
Power Cord <b>12.5m</b> Cleaning Range <b>3</b>			ng Range <b>31.0m</b>
Suction H <sub>2</sub> 0 <b>1750mm</b>		10. 1	<b>60</b> (see page 44)

\*Note: Not standard UK model, please contact your Numatic representative for information.





#### **PROLINE RANGE**

The ProSave Plugged Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of 3 sizes.



# **PSP180**

- » Carpets, hard-floors, cars, stairs, DIY
- » Handy on-board tool storage
- » Plugged cable

" 340X303X300HHT (VVXLXII)				
8L	620W		6.0KG	
Capacity	Motor		Weight	
Power <b>230V / AC 50/60Hz</b>				
Power Cord 10.0m		Cleani	ng Range <b>26.0m</b>	
Suction H₂0 2300mm		Kit <b>A</b>	<b>SO</b> (see page 44)	



- » Carpets, hard-floors, cars, stairs, DIY
- » Bumper for wall and door protection
- » Handy on-board tool storage
- » 360x370x415mm (WxLxH)

9L	620	WC	8.0KG		
Capacity	Motor		Weight		
Power 230V / AC 50/60Hz					
Power Cord 10.0m		Cleani	ing Range <b>26.0m</b>		
Suction H <sub>2</sub> 0 <b>2300mm</b>		Kit <b>A</b> S	<b>S0</b> (see page 44)		

# **PSP370**

- » Carpets, hard-floors, cars, stairs, DIY
- » Bumper for wall and door protection
- » Handy on-board tool storage
- » Plugged cable
  - » 360x370x510mm (WxLxH)

15L	620	WC	9.0KG			
Capacity	Motor		Weight			
Po	Power 230V / AC 50/60Hz					
Power Cord 10	0.0m	Cleani	ing Range <b>26.0m</b>			
Suction H <sub>2</sub> 0 230	Suction H <sub>2</sub> 0 <b>2300mm</b>		<b>S0</b> (see page 44)			

#### **NRV240**



- » Carpets, hard-floors, cars, stairs, DIY » Bumper for wall and door protection
- » Handy on-board tool storage » Emptying with no dust and no mess
- » 360x370x415mm (WxLxH)

000/107 0/117011111	. (*****	
9.0L	620W	9.0KG
O't.	N 4 - 4	10/0:004

	Capacity	Mo	otor	Weight
Power 230V / AC 50/60Hz				
Power Cord 12.5m		Cleaning Range 31.0m		
	Suction H 0 220	0mm	⊬i+ NG	<b>21</b> (200 page 44)

#### **PPR170**



- » Easy replacement plugged cable system» Bumper for wall and door protection
- » Compact and convenient
- » Emptying with no dust and no mess
- » 360x370x390mm (WxLxH)

2	WO	9.0KG	7.2L	62	WC	8.1K
Mc	otor	Weight	Capacity	Mo	otor	Weigh
0V /	AC 50/60	Hz	Po	wer <b>230V</b> /	AC 50/60	)Hz
Cleaning Range 31.0m		Power Cord <b>12.5m</b> Cleaning		ing Range <b>31.0</b>		
	l∕i+ N	<b>C1</b> (200 page 44)	Custion H 0 220	0	l∕i+ A	<b>CO</b> (000 0000 A)

# PPR170 HEPA

- » Easy replacement plugged cable system
- » Bumper for wall and door protection» Compact and convenient
- » Emptying with no dust and no mess
- » Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » 360x370x390mm (WxLxH)

<b>7.2L</b> Capacity	<b>62</b> 0	<b>OW</b> otor	8.3KG Weight		
Power <b>230V / AC 50/60Hz</b>					
Power Cord 12	.5m	Cleani	ing Range <b>31.0m</b>		
Suction H₂0 2300mm		Kit <b>A</b> S	<b>S0</b> (see page 44)		

#### PPR240



#### **PPR370**

**PPT390** 



#### **Contractors' Choice**

- » Professional accessory kit » Bumper for wall and door protection
- » Long cleaning reach
- » Emptying with no dust and no mess
- » Plugged cable rewind
   » 360x370x415mm (WxLxH) PPR240
   » 360x370x510mm (WxLxH) PPR370

<b>9L/15L</b> Capacity 240/370	620W Motor	9.0/10.0KG Weight 240/370				
	Power <b>230V / AC 50/60Hz</b>					
Power Cord	12.5m	Cleaning Range 31.0m				
Suction H <sub>2</sub> 0 2	2300mm	Kit <b>AS0</b> (see page 44)				

#### PPT220



#### **Handy Trolley Design**

- Convenient, lift-off storage caddy
   Telescopic handle for ease of transit and storage
   Large rear wheels for ease of use on stairways
- » Plugged cable rewind
- » 355x355x615mm (WxLxH) PPT220
- » 355x355x655mm (WxLxH) PPT390

1		220/390				
Power <b>230V / AC 50/60Hz</b>						
Power Cord 12.5m		Cleaning Range 31.0m				
Suction H <sub>2</sub> 0 <b>2300mm</b>		Kit <b>AS0</b> (see page 44)				

#### **SANITISE PRO SPRAYERS**

# **HIGH-PRESSURE MISTING DISINFECTION SYSTEM**



The Sanitise Pro Sprayers deliver 99.999%\* efficiency in inactivating and destroying pathogens.

#### **NSU370**

- Simple to use with high-pressure quick drying mist Effective results every time by every user across a wide range of environments

» 360x370x510mm (WxLxH)					
5L	45W		7.2KG		
Capacity	Motor		Weight		
Max Pump Pressure 15Bar/217PSI					
Optimum Spray Distance 1.0m					
Droplet Size 65-75Microns					
Power Cord 10.0m Cleaning Range 12.0m					
Flow 150ml/min Hose Length 2.2m					



#### RSU150NX



5L	6H	RS	13.0KG
Capacity	Batte	ry Life	Weight
Optimum Spray [ / Max 1.0 / 2		Max Pump Pressure 15Bar / 217PSI	
Droplet Siz <b>60-70Micro</b>		Tank Empty 31mins	
Flow <b>140ml/</b> ı	min	Hose	e Length <b>1.5m</b>







#### MAINS CABLE BACKPACKS

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.









Available as a standard or HEPA model

- 1 Breathable Mesh Panel
- 2 Integrated Hand Control
- 3 Adjustable Cushioned Shoulder Straps






#### **Increase Cleaning Productivity**

- » Compact, comfortable and convenient design

- Generous 5L capacity
   Extra-long 15.0m cable
   User comfort with ergonomic harness » Emptying with no dust and no mess
- » Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only)
- » 330x330x570mm (WxLxH)

5L	620W		7.4/7.8KG		
Capacity	Motor		Motor		Weight 150/150H
	Power <b>230V</b> /	AC	AC 50/60Hz		
Power Cord	15.0m	Cleaning Range 32.4m			
Suction H <sub>2</sub> 0	2300mm	Kit AAT30E (see page 45)			



#### Numate QUICK

#### **NUMATIC QUICK NQ100**




- » Up to 120mins of powerful cordless cleaning
   » 1L Pod capacity
   » Advanced user comfort
   » Interchangeable Lithium-Ion battery
   » Clean dirt disposal

- » 240x270x1220mm (WxLxH)

<b>1L</b> Capacity	300W Motor		3.2KG Weight
Power <b>25.2V</b>		Runtime 120mins (60mins per battery)	
Charge Time 2hrs 30mins (per		Access	ories (see page 44)





# **POWERFUL CORDLESS DUST-FREE**







- 1 Battery Removal
- 2 & 5 Motorised Brush Head
- 3 Ergonomic Handle for Extra Comfort
- 4 Handy Tools



All the benefits of cordless cleaning with no dust, no mess, no fuss.

Bigger Capacity Compacts dust inside the pod for more capacity than most leading vacuums.

See page 44 for details.

Visit: numatic.com/quick

# **NX300 PRO CORDLESS NETWORK INCREASES PRODUCTIVITY**



NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.



Power the Entire Fleet with **NX300 Pro Cordless Network** 

#### NBV190NX



- » Newly developed high-performance digital motor » Part of NX300 Pro Cordless Network
- » 80mins runtime and 1 hour fast charge » 340x340x340mm (WxLxH)

8L	350	WC	7.7KG	
Capacity	Motor		Weight	
Po	Power Lithium Battery <b>36V</b>			
Runtime Hi 50 / Lo 80mins		Charge 1	hr 80% / 2hr 100%	

Kit **AS55** (see page 44)





- » Newly developed high-performance digital motor » Part of NX300 Pro Cordless Network
- 80mins runtime and 1 hour fast charge » Bumper for wall and door protection
- » 360x340x415mm (WxLxH)

Runtime Hi 50 / Lo 80mins

Suction H<sub>2</sub>0 1896mm

<b>9L</b>	350W	8.1K0
Capacity	Motor	Weight
Po		

Charge 1hr 80% / 2hr 100%

Kit **AS55** (see page 44)



- » Newly developed high-performance digital motor
- » Part of NX300 Pro Cordless Network
- » 80mins runtime and 1 hour fast charge Convenient lift-off storage caddy
- » Telescopic handle for ease of transit and storage
- » 400x450x615mm (WxLxH)

<b>9L</b> Capacity	350W Motor		10.5KG Weight
Power Lithium Battery <b>36V</b>			
Runtime Hi 50 / Lo	80mins	Charge 1	hr 80% / 2hr 100%
Suction H <sub>2</sub> 0 <b>1896mm</b>		Kit <b>AS</b>	<b>55</b> (see page 44)

#### RSB150NX

Suction H<sub>2</sub>0 1896mm





- » Newly developed, high-performance digital motor » Part of NX300 Pro Cordless Network
- » 80mins runtime and 1 hour fast charge
- » User comfort with ergonomic harness
- » Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only)
- » 330x330x570mm (WxLxH)

<b>5L</b> Capacity	350W Motor	<b>8.2/8.6KG</b> Weight 150/150H			
Power Lithium Battery <b>36V</b>					
Runtime Hi 50	/ Lo 80mins	Charge 1hr 80% / 2hr 100%			
Suction H <sub>2</sub> 0 <b>1896mm</b>		Kit AAT30E (see page 45)			

Visit: numatic.com/NX300

2.0KG Weight

300Wh **Battery Capacity**  1hr 80% / 2hrs 100% Charge Time

**Up to 2500** Charge Cycles

NX300 Battery 3 Year Warranty.

Note: Higher ambient temperatures may increase charge time

mumatic.com ( +44 (0)1460 68600 33

#### **STEEL TOPS**

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.







#### NQS250 / NQS250B



- 1 Choice of Blower or Diffuser System (NQS250B)
- 2 Professional Specification Throughout

#### NVQ240



- » Heavy-duty, all-steel power head
- » Quick and easy cable replacement
- » Plugged cable» 360x370x415mm (WxLxH)

<b>9L</b> Capacity	<b>780W</b> Motor		9.65KG Weight	
Power 230V / AC 50/60 Hz				
Power Cord 10	Power Cord 10.0m		ng Range <b>26.0m</b>	
Suction H <sub>2</sub> 0 2350mm		Kit <b>AS0</b> (see page 44)		

#### **NVQ370**



- » Heavy-duty, all-steel power head
- » Quick and easy cable replacement
- » Plugged cable» 355x355x485mm (WxLxH)

<b>780W</b> Motor		10.0KG Weight			
Power 230V / AC 50/60 Hz					
Power Cord 10.0m		ng Range <b>26.0m</b>			
Suction H <sub>2</sub> 0 <b>2350mm</b>		<b>SO</b> (see page 44)			
)	Mc er <b>230V</b> /	Motor er 230V / AC 50/60 m Cleani			

# **NVQ380**

- » Heavy-duty, all-steel power head
- » Tough Structofoam construction
- » Quick and easy cable replacement
- » Plugged cable» 355x355x485mm (WxLxH)

<b>15L</b> Capacity	<b>780W</b> Motor		11.35KG Weight		
Power 230V / AC 50/60 Hz					
Power Cord 10	.0m	Cleani	ng Range <b>26.0m</b>		
Suction H <sub>2</sub> 0 <b>2350mm</b>		Kit <b>A</b> \$	<b>30</b> (see page 44)		

#### **MICROLINE**



- » Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » Quick and easy cable replacement
- » Emptying with no dust and no mess
- Plugged cable rewind
   355x355x465mm (WxLxH)

» All-steel construction, tough and hard-wearing » Blower facility and diffuser attachment (NQS250B)

780W

Motor

Power 230V / AC 50/60 Hz

10.0KG

Weight

Cleaning Range 26.0m Kit AS0 (see page 44)

» Quick and easy cable replacement

» 355x355x395mm (WxLxH)

Power Cord 10.0m

Suction H<sub>2</sub>0 2350mm

» Plugged cable

9L

Capacity

<b>12L</b> Capacity	620W 10.0KG Motor Weight				
Power 230V / AC 50/60 Hz					
Power Cord 12.5m		Cleaning Range 29.6m			
Suction H <sub>2</sub> 0 <b>2300mm</b>		Kit <b>A</b> S	<b>S0</b> (see page 44)		

#### **CRQ370**



- » Certified HEPA13 filtration down to
- 0.3 microns at 99.95% efficiency
- » Advanced 5-Stage filtration system » Quick and easy cable replacement
- » Conforms to ISO 14644-1 Class 5 classification
- Emptying with no dust and no mess355x355x485mm (WxLxH)

<b>10L</b> Capacity	960W 11.5K0 Motor Weight		11.5KG Weight		
Power 230V / AC 50/60 Hz					
Power Cord 10.0m		Cleaning Range <b>26.0m</b>			
Suction H <sub>2</sub> 0 230	n H₂0 <b>2300mm</b>		Kit A1 (see page 44)		

## ADVANCED **FILTRATION**

High-efficiency 5-stage pre and post-motor **HEPA13** filtration conforming to ISO 14644-1 Class 5 cleanroom classification.





#### **AIRCRAFT LINE Aircraft Compliant**

# **RSAV130** (X

- » Aircraft specification
- » User comfort with ergonomically designed harness
- » High-efficiency filtration
- » 250x360x440mm (WxLxH)

960W		7.37KG			
Motor		Weight			
Power <b>110V / AC 400Hz</b>					
Power Cord 18.2m		ng Range <b>43.2m</b>			
Suction H <sub>2</sub> 0 <b>2400mm</b>		OA (see page 45)			
	Mo ower 110V	Motor  ower 110V / AC 400H  .2m Cleani			

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.



#### **AVQ250**




- » All-steel construction, tough and hard-wearing
   » Patented MicroTec noise reduction system
- » Aircraft specification
- » Plugged cable
- » 340x340x395mm (WxLxH)

9L	960W		10.62KG	
Capacity	Motor		Weight	
Power <b>110V / AC 400Hz</b>				
Power Cord 18	Power Cord 18.2m		ing Range <b>42.8m</b>	
Suction H <sub>2</sub> 0 <b>2500mm</b>		Kit <b>A</b>	<b>S4</b> (see page 44)	



- » Heavy-duty, all-steel power head » Patented MicroTec noise reduction system
- » Aircraft specification
- » Plugged cable
- 355x355x485mm (WxLxH)

15L	960W		11.82KG		
Capacity	Motor		Weight		
Power <b>110V / AC 400Hz</b>					
Power Cord 18	.2m	Cleani	ing Range <b>42.8m</b>		
Suction H <sub>2</sub> 0 <b>250</b>	0mm	Kit <b>A</b> S	<b>S4</b> (see page 44)		



#### **DRY BIG CAPACITY VACUUMS**

#### Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

The NVQs are ideal for numerous trades where they must frequently be moved from one place to another, while still requiring a large and generous working capacity.

#### NVQ570/NVDQ570



- » Tough Structofoam construction
- » Directional castors for ease of transit
- » Quick and easy cable replacement

413X413X043HIII (VVXLXII)	
1	1

<b>23L</b> Capacity	960W Motor (NVQ)		960Wx2 Motor (NVDQ)		
Power <b>230V / AC 50/60 Hz</b>					
Weight 16.5k	g (NVQ)	Wei	ght 18.7kg (NVDQ)		
Power Cord 10.0m		Cleaning Range 26.8m			
Suction H 0 2300mm		Kit	<b>BS2</b> (see page 45)		



- » Tough Structofoam construction
- » Pull handle for ease of transit
- » Large rear wheels provide excellent mobility » Quick and easy cable replacement

	" 490X000X000HIII (WXEXII)					
	<b>40L</b> Capacity	<b>960</b> Motor (N		960Wx2 Motor (NVDQ)		
	Power 230V / AC 50/60 Hz					
	Weight 25.2kg	g (NVQ)	Wei	ght <b>27.7kg</b> (NVDQ)		
	Power Cord 10.0m		Clea	aning Range <b>26.8m</b>		
Suction H <sub>2</sub> 0 <b>2300mm</b>		Kit	<b>BS2</b> (see page 45)			





1 Large Rear Wheels for Excellent Mobility 2 High Efficiency ProFlo Dry Floor Tool

### **STRUCTOFOAM**

Cellular structure provides strength and flexibility

- » Incredibly tough and long-lasting
- » Hard-wearing and chemical-resistant
- » Exceptional strength-to-weight ratio
- » Lightweight and ergonomic structure

#### **WET OR DRY VACUUMS**

#### Professional power and performance in either mode.

- » Ready for Wet or Dry
- » Built to Last
- » Powerful & Professional Performance

# WV370

- » Wet or dry
- » Compact and easy to store
- » Lightweight with easy carry handle » Convenient emptying
- » 360x370x510mm (WxLxH)

15L	9L		1000W
Capacity Dry	Capac	ity Wet	Motor
Power 230V / AC 50/60Hz		٧	Veight <b>9.0kg</b>
Power Cord 10.0m		Cleani	ing Range <b>26.0m</b>
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit <b>A</b>	<b>11</b> (see page 45)



- » Wet or dry» Compact and capable» Convenient folding transit handle
- » Large rear wheels for ease of movement
- » 360x370x710mm (WxLxH)

27L	20L		1000W
Capacity Dry	Capac	ity Wet	Motor
Power <b>230V / AC</b> 5	50/60Hz	v	Veight <b>9.6kg</b>
Power Cord 10.0m		Cleaning Range 26.0m	
Suction H <sub>2</sub> 0 240	Suction H <sub>2</sub> 0 <b>2400mm</b>		<b>11</b> (see page 45)

# WV570 / WVD570



- » 415x415x645mm (WxLxH)

<b>23L</b> Capacity Dry	15L Capacity Wet	1000W Motor (WV)	1000Wx2 Motor (WVD)	
Power 230V / AC 50/60Hz				
Weight	16.3kg (WV)	Weig	ht <b>18.5kg</b> (WVD)	
Power	Cord <b>10.0m</b>	Clean	ing Range <b>26.8m</b>	
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit B	<b>S8</b> (see page 45)	

#### WV900 / WVD900



- » Wet or dry
- » Easy empty tip handle

  » Heavy-duty Structofoam construction » Convenient cable replacement system
- » 490x800x880mm (WxLxH)

	,			
<b>40L</b> Capacity Dry	<b>32L</b> Capacity Wet	1000W Motor (WV)		1000Wx2 Motor (WVD)
	Power 2	AC 50/60	)Hz	
Weight 25.2kg (WV)			Weig	ht <b>28.0kg</b> (WVD)
Power	Power Cord 10.0m		Clean	ing Range <b>26.8m</b>
Suction H <sub>2</sub> 0 <b>2400mm</b>			Kit <b>B</b>	<b>S8</b> (see page 45)




#### **WET VACUUMS**

#### Enhanced with increased efficiency in wet pick-up.

- » Unrivalled Performance
- » Huge Capacity
- » Easy, Clean & Safe Emptying







- » Wet use only
- Easy emptying with rear dump hose
   Heavy-duty Structofoam construction
   Rear Auto Pump for continuous water extraction
- (AP model only)
- » 684x785x935mm (WxLxH)

CO INT CONCOUNTY (TINEST )					
70L	1000	W	1000Wx2		
Capacity	Motor (WV)		Motor (WVD)		
Power <b>230V / A</b>	C 50/60Hz	Weigh	nt <b>31.5kg</b> (WV1800DH)		
Weight 34.0kg (V	/eight <b>34.0kg</b> (WVD1800DH)		t <b>40.4kg</b> (WVD1800AP)		
Power Cord 10.0m		Cle	aning Range <b>26.8m</b>		
Suction H 0 2400mm		Kit	RS7 (see page 45)		



- » Wet use only
- » Robust steel chassis for ease of transit
- » Easy emptying with rear dump hose » Heavy-duty Structofoam head construction » Convenient cable replacement system
- » Rear Auto Pump for continuous water extraction
- (AP model only) » 640x530x970mm (WxLxH)

`	
70L	1000Wx2
Capacity	Motor
Power <b>230V</b> /	AC 50/60Hz
Weight <b>28.9kg</b> (WVD2000DH)	Weight 36.4kg (WVD2000AP)
Power Cord 10.0m	Cleaning Range 26.8m
Suction H <sub>2</sub> 0 <b>2400mm</b>	Kit BS7 (see page 45)
	•

1 Auto Pump for Continuous Water Extraction 2 High Efficiency ProFlo Wet Floor Tool



mumatic.com ( +44 (0)1460 68600 39


#### **WET & DRY VACUUMS**

#### Effortlessly switch from dry to wet with no hassle.

- » Wet & Dry System
- » High Efficiency
- » A Tool for Every Job

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.





#### CV570/ **CVD570**



- Wet and dry pick-up

Suction H<sub>2</sub>0 2400mm

» Heavy-duty Structofoam construction » 415x415x645mm (WxLxH)

13L	1000W		1000Wx2		
Capacity	Motor (CV)		Motor (CV)		Motor (CVD)
Р	ower <b>230V /</b>	AC 50/	60Hz		
Weight 16.3kg	(CV)	We	eight <b>18.5kg</b> (CVD)		
Power Cord 10.0m		Clea	aning Range <b>26.8m</b>		



- » Wet and dry pick-up
- » Washable filter system
- » Heavy-duty Structofoam construction
- Convenient emptying490x800x880mm (WxLxH)

00Wx2	30L	1000	W	1000Wx2
otor (CVD)	Capacity	Motor (	CV)	Motor (CVD)
	Р	ower <b>230V /</b>	AC 50/	60Hz
3.5kg (CVD)	Weight 25.2kg	g (CV)	We	eight <b>27.7kg</b> (CVD)
lange <b>26.8m</b>	Power Cord 10.0m		Clea	aning Range <b>26.8m</b>
ee page 45)	Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit	<b>BS8</b> (see page 45)



- 1 Dry Floor Tool Pick-up
- 2 Clean, Dry Floors Again and Again
- 3 Colonic Wet and Dry System
- 4 Easy Emptying





Tipping Handle for Easy Emptying

#### **CARPET EXTRACTION VACUUMS**

#### The All-Purpose 4-in-1 carpet and upholstery cleaners.

- » Ready for Anything
- » Powerful Cleaning Results
- » Tank Within a Tank

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.




- » Wet, spray extraction carpet cleaning,
- upholstery cleaning and car valeting » Compact and easy to store
- » Large rear wheels for ease of transit
- » 360x370x510mm (WxLxH)

15L	9L		1000W	
Capacity Dry	Capac	ity Wet	Motor	
Power 230V / AC 50/60Hz		We	eight <b>11.23kg</b>	
Power Cord 10	Power Cord 10.0m		ing Range <b>26.8m</b>	
Suction H <sub>2</sub> 0 240	Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit <b>A40A</b> (see page 45)	



- 1 Handheld Upholstery Tool
- 2 Fishtail Extraction Tool
- 3 Convenient Carry Handle






- » Compact and easy to store
  » Large rear wheels and folding handle for ease of transit
- » 360x370x710mm (WxLxH)

20L		1000W	
Capac	ity Wet	Motor	
Power <b>230V / AC 50/60Hz</b>		Weight 14.4kg	
Power Cord 10.0m		ing Range <b>26.8m</b>	
00mm	Kit A4	<b>0A</b> (see page 45)	
	Capac 50/60Hz	Capacity Wet  50/60Hz W  0.0m Cleani	



Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.





#### **CARPET EXTRACTION VACUUMS**

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- » Ready for Anything
- » Powerful Cleaning Results
- » Tank Within a Tank

The CleanTec range provides powerful cleaning results with tough construction, huge capacity and long-life TwinFlo bypass motors so it is easy to store, always on hand and ready for anything.

The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle.

#### CT570 / CTD570



- » Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- » Heavy-duty Structofoam construction » Convenient cable replacement system
- » 415x415x645mm (WxLxH)

	<b>23L</b> Capacity Dry	15L Capacity Wet	-	Motor (CT)	1000Wx2 Motor (CTD)
	Power <b>230V</b>			(- /	. ,
l	Weight 18.98kg (CT)		Weig	tht <b>20.0kg</b> (CTD)	
	Power Cord 10.0m		Cleaning Range 26.8m		
	Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit A4	11A (see page 45)	

#### CT900 / CTD900



- » Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- » Easy emptying with tip handle
- » Heavy-duty Structofoam construction
- » 490x800x880mm (WxLxH)

40L	32L	1000W		1000Wx2	
Capacity	Capacity	Motor		Motor	
Dry	Wet		(CT)	(CTD)	
	Power 230V / AC 50/60Hz				
Weight 25.28kg (CT)		Weigh	nt <b>27.78kg</b> (CTD)		
Power Cord 10.0m		Clean	ing Range 26.8m		
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit A4	11A (see page 45)		





2 Upholstery Tool

- » Uniform fluid distribution
- » Easy pull-back movement
- » Heavy-duty, Aluminium construction





1 High-performance, TriJet Carpet Extraction Tool 2 Upholstery and Spot Cleaning Extraction Tool



- » Carpet cleaning and upholstery / spot cleaning tools » Uniform fluid distribution with TriJet carpet extraction
- » Hi-Lo system for pressure when you need it

» 435x425x725mm (WxLxH)

15L	1000	W	35.0KG
Capacity	Moto	or	Weight
F	Power <b>230V /</b>	AC 50/60	)Hz
Power Cord	10.0m	Clear	ning Range <b>26.8m</b>
Suction H <sub>2</sub> 0 24	400mm	Kit B	<b>\$27</b> (see page 45)



#### **DRY KITS**




	- 12
601008	Stainless Steel Extension Tube (x2)
601052	Stainless Steel Tube Bend with NPC Volume Control
915909	2.2m FloMax Conical Hose
912358	280mm ProFlo Combination Floor Tool
601141	Double Taper Hose / Tool Adaptor
601142	240mm Crevice Tool
601144	65mm Dusting Tool
601145	150mm Mattress Tool
601146	150mm Slide-on Brush Tool





	AND THE RESIDENCE OF THE PARTY	I .	
4		601052	St
		915907	2.
601008	Stainless Steel Extension Tube (x2)	902071	30
601052	Stainless Steel Tube Bend with NPC Volume Control	601141	D
914761	1.9m Parallel Hose	601142	24
902070	300mm Combination Floor Tool	601144	65
601142	240mm Crevice Tool	601145	15
601144	65mm Soft Dusting Brush	601146	15









#### **SPECIALISED KITS**





KIT AAT30E - 915883

KIT BS7 - 607249

914980	1.2m RSB / RSV150 Hose	602102	2.4m NuFlex Threaded Hose
915195	Aluminium Tube Bend with NPC Volume Control	602931	Aluminium Tube Bend
914759	Aluminium Telescopic Wand	602930	Aluminium Extension Tube (x2)
902923	270mm ProFlo Combination Floor Tool	602384	400mm ProFlo Brush / Rubber Floor Tool
601141	Double Taper Hose / Tool Adaptor	602256	65mm Soft Dusting Brush with Tube Adaptor
601144	65mm Soft Dusting Brush	602160	305mm ABS Crevice Tool

KIT BS2 - 916230

602920

#### **WET KITS**








#### **NX300**

#### **SPECIALISED KITS**

KIT AS55 - 916028







#### **EXTRACTION KITS**



601399	4.0m CleanTec Extraction Hose
601009	Stainless Steel Extraction Trigger Bend Tube
601006	Stainless Steel Lower Tool Extraction Tube
601008	Stainless Steel Extension Tube
601126	275mm Fishtail Extraction Tool
601225	100mm Upholstery Extraction Tool
601968	CleanTec Trigger Valve and Spray Tube



601399	4.0m CleanTec Extraction Hose
601009	Stainless Steel Extraction Trigger Bend Tube
601006	Stainless Steel Lower Tool Extraction Tube
601008	Stainless Steel Extension Tube
601423	275mm Aluminium Extraction Tool
601225	100mm Upholstery Extraction Tool
601968	CleanTec Trigger Valve and Spray Tube
	•



602225 100mm Upholstery Extraction Tool

# **ProCare**

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

#### **ProCare Contents**

NuTec Industrial	48
Anti-Static	48
DustCare	48
TradeLine	49
H-Class	50-51
ProCare Kits	52









#### **NUTEC INDUSTRIAL**



- » Industrial vacuum suitable for many applications including; boiler cleaning, floor cleaning,
- metalworking, dirt, dust or debris, and more » 510x510x960mm (WxLxH)

**ANTI-STATIC** 

35L	1000Wx2		20.8KG
Capacity	Motor		Weight
Power 230V / AC 50/60Hz			
Power Cord 10.0m		Cleanir	ng Range <b>26.8m</b>
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit BS	<b>5</b> (see page 52)

#### NTD2003



- » Big capacity machine with TwinFlo 2-motor Structofoam power head
- » Stainless steel container with heavy-duty chassis
- » 560x660x1145mm (WxLxH)

60L	1000Wx2		33.0KG	
Capacity	Motor		Weight	
Power 230V / AC 50/60Hz				
Power Cord 10.0m		Cleanir	ng Range <b>26.8m</b>	
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit BS	<b>5</b> (see page 52)	

#### NTT2003



- » Triplex power head in all-steel construction
- » Mounted on an all-steel heavy-duty chassis,
- easily demounted for emptying » 560x660x1075mm (WxLxH)

NES900/A / NED900/A

60L	1000Wx3		36.0KG
Capacity	Motor		Weight
Po	ower <b>230V /</b>	AC 50/60H	łz
Power Cord 10	Power Cord 10.0m		ng Range <b>26.8m</b>
Suction H <sub>2</sub> 0 <b>2400mm</b>		Kit BS	<b>5</b> (see page 52)

# M-CLASS H-CLASS

What type of vacuum extractor do you need?



General dust. mixed dust, gypsum



Soft / hardwood, silica, masonry, paint, plastic, ceramic



Asbestos

For guidance only. Find out more at www.hse.gov.uk/construction

#### 1 HEPA13 Filter Cartridge

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum range.

#### 2 High-efficiency TriTex Filter

Traps fine dust within its high-efficiency, triple-layer membrane.

#### Triple-layer HepaFlo Filter Bag


3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.





#### M » M-Class Compliant - IEC/EN 60335-2-69 » Huge cleaning reach, with 10m cable and 2.9m hose » Large rear wheels and extending pull handle » 2200W Automatic power take-off

1 Specialist FreeFlo Tool for Hard Floors 2 Long 10m Cable



### **DUSTCARE**



- » Full anti-static specification in machine and accessories
- » The non-conductive specification continually discharges the static build up during use » 510x510x960mm (Wxl xH)

35L	960	WC	23.0KG
Capacity	Motor		Weight
Po	ower <b>230V</b> /	AC 50/60H	łz
Power Cord 8.5m		Cleanir	ng Range <b>25.6m</b>
Suction H <sub>2</sub> 0 2500mm		Kit <b>HA</b>	S (see page 52)

NES570/A / NED570/A



- » Optional Auto Operation Power Outlet Socket » Low flow and bag full indicator
- » High-efficiency internal AirFlo system
- » 415x415x645mm (WxLxH)

23L	620W		620Wx2	
Capacity	Motor (NES)		Motor (NED)	
Power Outlet S	Socket Optional (NES570A/NED570A)			
Power <b>230V / AC</b>	50/60Hz	Weight 18	8/20kg (NES/NED)	
Power Cord 10.0m		Cleaning Range 26.8m		
Suction H <sub>2</sub> 0 230	00mm	Kit BS	<b>5</b> (see page 52)	



- » Optional Auto Operation Power Outlet Socket
- » Low flow and bag full indicator
- » High-efficiency internal AirFlo system
- » 490x800x880mm (WxLxH)

40L	620	WC	620Wx2		
Capacity	Motor (NES)		Motor (NED)		
Power Outlet S	Socket Optional (NES900A/NED900A)				
Power 230V / AC	50/60Hz	Weight 2	7/29kg (NES/NED)		
Power Cord 10.0m		Cleanir	ng Range <b>26.8m</b>		
Suction H <sub>2</sub> 0 2300mm		Kit BS	<b>5</b> (see page 52)		

#### **TRADELINE**

Compact, tough and highly mobile, the TradeLine vacuum combines a specialist on tool extractor with a big clean-up machine to cover almost any application.

With more and more emphasis being put on health and safety within the construction industry, the demand for extraction vacuums increases year on year, this is where the TradeLine comes in.

#### **TEL390S**

- » L-Class Compliant IEC/EN 60335-2-69
- $^{\mbox{\tiny N}}$  Huge cleaning reach, with 10m cable and 2.9m hose
- » Large rear wheels for ease of transit » Tough, durable and built to last » 400x450x600mm (WxLxH)

	18L	620	WC	10.8KG
on	Capacity	Motor		Weight
	Po	wer <b>230V</b> /	AC 50/60	Hz
	Power Cord 10	.0m	Cleani	ing Range <b>28.0m</b>
	Suction H <sub>2</sub> 0 230	0mm	Kit <b>AS</b>	610 (see page 52)
	'		1	



#### **TEM390A**

- for ease of transit

18L	620	W0	14.3KG	
Capacity	Mo	otor	Weight	
Power <b>230V / AC 50/60Hz</b>				
Power Cord 1	Power Cord 10.0m		Cleaning Range 28.0m	
Suction H <sub>2</sub> 0 23	uction H <sub>2</sub> 0 <b>2300mm</b>		<b>S10</b> (see page 52)	



mumatic.com (+44 (0)1460 68600 49

#### **H-CLASS**

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous



dusts and materials, including asbestos.

#### HZ370



- » H-Class Compliant IEC/EN 60335-2-69
- » TriTex filtration and HepaFlo filter bags
- » Compact and ready to go
- » Powerful, long-life 960W motor
- » 355x355x570mm (WxLxH)

HZ570 /

**HZD570** 

15L	960W	11.0K
Connoity	Motor	\\/oight

	IOL	Motor		II.UNG
	Capacity			Weight
	Po	ower <b>230V</b> /	AC 50/60H	łz
	Power Cord 10.0m Suction H <sub>2</sub> 0 2500mm		Cleaning Range 26.0m	
			Kit <b>AA</b>	18 (see page 52)



- » H-Class Compliant IEC/EN 60335-2-69
- » TriTex filtration and HepaFlo filter bags
- » Compact and ready to go
- » Large rear wheels and pull handle
- » HZ390S 400x450x600mm

HZ900/

HZD900

HZ390L 400x450x1010mm (WxLxH)

18L 960W 1		1.2KG	12.6KG	
Motor	Motor Weight (S)		Weight (L)	
Power 230	AC 50/60Hz			
Power Cord 10.0m			Range <b>26.0m</b>	
Suction H <sub>2</sub> 0 <b>2500mm</b>			(see page 52)	
	Motor Power 230	Motor V Power 230V /	Motor Weight (S)  Power 230V / AC 50/60Hz Cord 10.0m Cleaning I	





1 Easy, Clean and Safe Emptying

3 Stainless Steel Gulper / Scraper Tool

2 All-terrain Large Rear Wheels

4 Transit Safety Cap




- » H-Class Compliant IEC/EN 60335-2-69
- » All-steel head construction
- » Plugged easy cable replacement system
   » 415x415x746mm (WxLxH)

23L	960W		960Wx2		
Capacity	Motor (HZ)		Motor (HZD)		
Power 230V / AC	50/60Hz	Weight 18/20kg (HZ/HZD)			
Power Cord 10.0m		Suction H <sub>2</sub> 0 <b>2500mm</b>			
Cleaning Range (HZ) 26.0m		Cleaning Range (HZD) 26.8m			
Kit AA19 (HZ) (see page 52)		Kit BB19	(HZD) (see page 52)		

- » H-Class Compliant IEC/EN 60335-2-69
- » All-steel head construction
- » Plugged easy cable replacement system » 490x800x880mm (WxLxH)

40L	960W		960Wx2
Capacity	Motor (HZ)		Motor (HZD)
Power 230V / AC	50/60Hz Weight		28/30kg (HZ/HZD)
Power Cord 1	Power Cord 10.0m		n H <sub>2</sub> 0 <b>2500mm</b>
Cleaning Range (HZ) 26.0m		Cleaning Range (HZD) 26.8m	
Kit AA20 (HZ) (see	page 52)	Kit BB20 (HZD) (see page 52	





#### HZC390S / HZC390L

- » H-Class Compliant IEC/EN 60335-2-69
- » Disposable filter cartridge
- » Quick, simple and safe emptying
- » Compact and ready to go » HZ390S 400x450x600mm (WxLxH) HZ390L 400x450x1010mm (WxLxH)

112390L 400X430X1010I1II1 (VVXLXI1)								
13L   1000W   1		12.2KG	13.0KG					
Capacity	Motor		Weight (S)	Weight (L)				
	Power <b>230</b>	/ AC 50/60Hz						
Power Cord 10.0m			Cleaning Range 26.0m					
Suction H <sub>2</sub> 0 <b>2500mm</b>		Kit <b>AA16</b> (	see page 52)					
'								





#### Watch the full video at: **HZC CARTRIDGE** numatic.co.uk

All dust is safely contained within a sealed, HEPA13 filter cartridge, so you can breathe easy.







1 All-Steel Head

Heavy-duty power head.

2 HZC Disposable Cartridge

HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

Robust Drum

Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

#### HZC DISPOSABLE CARTRIDGE



- » HEPA H13 Filter Conforms to EN1822
- » Fits all HZC machines
- » 345x321x283mm (WxLxH)

13L Capacity 1.75KG



mumatic.com (+44 (0)1460 68600 51

#### **PROCARE KITS**



601008	Stainless Steel Extension Tube (x2)			
601052	Stainless Steel Tube Bend with NPC Volume Control			
914762	2.8m NuFlex Threaded Hose			
900918	300mm MultiFlo Dry Brush Tool			
601430	290mm FreeFlo Floor Tool			
601141	Double Taper Hose / Tool Adaptor			
601142	240mm Crevice Tool			
601144	65mm Soft Dusting Brush			
601145	150mm Upholstery Tool			
601146	150mm Slide-on Brush for Upholstery Tool			
601176	Multi Size Power Tool Adaptor			

#### KIT AA16 - 909539



915907	2.2m Parallel Hose			
601142	240mm Crevice Tool			
602161	mm Rubber Brush with Soft Bristles			
602159	/ 32mm Adaptor			
601144	65mm Soft Dusting Brush			
601141	Double Taper Hose / Tool Adaptor			
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)			

#### KIT AA18 - 902756



915907	2.2m Parallel Hose	
601142	240mm Crevice Tool	
602161	152mm Rubber Brush with Soft Bristles	
602159	38 / 32mm Adaptor	
601144	65mm Soft Dusting Brush	
601141	Double Taper Hose / Tool Adaptor	
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)	
604016	10 x (NVM-2BH) HepaFlo Dust Bags	
908229	Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey	
604165	TriTex Filter for 305mm Machine	

#### KIT AA19 - 902757 / AA20 - 902758



915907	2.2m Parallel Hose
604017	10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570)
604019	10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900)
601142	240mm Crevice Tool
602161	152mm Rubber Brush with Soft Bristles
602159	38 / 32mm Adaptor
601144	65mm Soft Dusting Brush
908229	Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey
601141	Double Taper Hose / Tool Adaptor
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)
604116	Primary PermaTex Filter for 356mm Machine

#### KIT BB19 - 607349 / BB20 - 607350




602102	2.4m NuFlex Threaded Hose		
604017	10 x (NVM-3BH) HepaFlo Dust Bags (BB19 HZD570)		
604019	10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900)		
602161	152mm Rubber Brush with Soft Bristles		
604144	65mm Soft Dusting Brush		
908229	Roll of 10 x 120L Waste Bags (700mm x 1100mm)		
602160	305mm ABS Crevice Tool		
602923	280mm Stainless Steel Gulper / Scraper Tool (38mm)		
604116	Primary PermaTex Filter for 356mm Machine		
602159	38 / 32mm Adaptor		

#### KIT BS5 - 607335



602381	400mm ProFlo Brush Tool
602162	152mm Rubber Brush with Stiff Bristles
KIT	HAS - 607661
IXII	11A0 - 001001
602929	

	602923			
602125	604019 908229			
<b>\$</b>	009185			
602111	2.6m Anti Static 38mm Hose Assembly			
602112	ATX 400mm Widetrack Brush Tool			
602919	Stainless Steel Tube Bend			
602929	ATX Stainless Steel Extension Tube (x2)			
909185	Conductive Dusting Brush			
602125	ATX 130mm Conductive Rubber Gulper Tool			
604019	10 x (NVB-4BH) HepaFlo Dust Bags			
	280mm Stainless Steel Gulper / Scraper Tool (38mm)			
602923	280mm Stainless Steel Gulper / Scraper Tool (38mm)			



# **FloorCare**

Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments.

#### FloorCare Contents

Hurricane / NuSpeed Range	57
TwinTec Mains Range	58-59
NX300 FloorCare Range	60-63
NX1K Lithium Range	64-69
Brushes & Pad Drives	70-71
FloorCare Accessories	72-73











#### Lightweight

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

#### **Polishing**

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood.

#### Scrubbing

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

#### **Burnishing**

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

#### **General Purpose**

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood.

#### **Heavy-Duty Scrubbing**

Specialist scrubbing machine with extra weight for heavy-duty situations.

Please note information provided is for guidance only, please consult manufacturers guidance before use. \*Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof.

#### **HURRICANE RANGE**



- » Optional 10kg weight
- » 460x560x1250mm (WxLxH)

450MN Deck Size		<b>OW</b> otor	3	2.0KG Weight	
Power <b>230</b>	Power <b>230V / AC 50/60Hz</b> - 1515G / 1523G / 1530G				
	Power <b>230V / AC 50Hz</b> - 1545G				
Vacuum Dry	Vacuum Dry - Optional Cleaning Range 32.0m				
Brush Size	Brush Size 450mm		Pad Size 400mm		
	Brush Speed RPM				
1515G - <b>150</b>	1523G - <b>230</b>	1530G - <b>3</b>	00	1545G - <b>450</b>	



- » Fully adjustable handle » Optional solution tank
- » Dual speed for scrubbing (150rpm) & polishing (300rpm)
- » Optional 10kg weight (150rpm)
- » 460x560x1250mm (WxLxH)

450MM Deck Size	1000/1250W Motor		32.0KG Weight
	Power 230V /	AC 50/60Hz	
Tank Capac	ity <b>10.0L</b>	Cleaning F	Range <b>32.0m</b>
Brush Size	450mm	Pad Siz	e <b>400mm</b>
Vacuum Dry -	Optional	Brush Speed	150 / 300rpm



- » Fully adjustable handle
- » High-speed burnisher
- » Simple load adjustment
- » 560x740x1260mm (WxLxH)

500MM 150 Deck Size Mo			35.0KG Weight
Power <b>230V / AC 50Hz</b>		Cleaning Range 32.0m	
Pad Size <b>500mm</b>		Pad Pre	essure - Variable
Vacuum Dry - Optional		Brush S	Speed 1500rpm

#### **NUSPEED RANGE**



- » Optional solution tank
- » Folds flat for easy storage
- » Full range of brushes and pads » 330x540x1145mm (WxLxH)

	330MM Deck Size	400W Motor		18.0KG Weight
	Power 230V / AC 50Hz		Cleaning Range 32.0m	
ĺ	Tank Capacity 4.0L		Brush	Speed 200rpm
Ì	Brush Size 330mm		Pad	Size <b>330mm</b>



#### **TWINTEC MAINS RANGE**

The TwinTec 1840 mains cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.



- » Performance of a bigger machine» Clean, dry and safe floors
- » Easy brush or pad change
- User-friendly controls
- » Fully adjustable handle 520x880x1132mm (WxLxH)

18L	400	WC	38.5KG	
Tank Capacity	Brush Motor		Weight	
	Power 230V	/ AC 50Hz	:	
Deck Size 400mm		Cleaning Range 42.0m		
Brush Size 400	Brush Size 400mm		Pad Size <b>360mm</b>	
Vac Motor 30	Vac Motor 300W		Speed 150rpm	

**Sustainable Cleaning** 

Our Centrifugal Water System ensures precise distribution across the brush or pad, delivering on cleaning performance whilst saving water.



The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm or 550mm scrub width.





» Fully adjustable handle

» Tilting deck for easy brush / pad change

» 470x890x1100mm (WxLxH)

40L	150	W0	67.0KG		
Tank Capacity	Brush Motor		Weight		
Power <b>230V / AC 50Hz</b>					
Deck Size 450	)mm	Cleanir	ng Range <b>42.0m</b>		
Brush Size <b>450mm</b>		Pad	Size 400mm		
Vac Motor 1200W		Brush	Speed 150rpm		





Handle Folds Flat for Easy Storage


Visit: numatic.com/apps/nu-assist





How it Works

- 1. Scan the QR Code on the Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- 5. Complete Operator Training



#### TT4055G

- » Simple controls » Fully adjustable handle
- » Tilting deck for easy brush / pad change
- » 560x935x1100mm (WxLxH)

150	W0	68.0KG
Brush Motor		Weight
Power 230V	/ AC 50Hz	!
)mm	Cleanir	ng Range <b>42.0m</b>
Brush Size <b>550mm</b>		Size <b>500mm</b>
Vac Motor 1200W		Speed 150rpm
	Brush Power 230V Dmm Dmm	Power 230V / AC 50Hz 0mm Cleanir 0mm Pad



- 1 Fully Adjustable Handle
- 2 Tilting Deck for Easy Brush Change and Storage
- 3 Easy to Use Controls





#### Power the Entire Fleet with NX300 **Pro Cordless** Network

The NX300 Pro Cordless Network provides the cleaning through hot-swapping batteries across a versatile and expanding range.

- Enhanced Energy Storage
- One Fits All Productivity
- Cost Effective
- » 1-Hour Fast Charge
- NX300 Pro Cordless Network

#### NX300 FLOORCARE RANGE



#### 244NX



- » 80mins runtime
- » 1 hour fast charge
- » One-pass performance » Centrifugal water delivery
- » Part of NX300 Pro Cordless Network

» 320x430x120011111 (VVXLXH)						
2.2L	3L	1	100W	140RPM		
Tank	Recovery		Vac	Brush		
Capacity	Tank		Motor	Speed		
Power 36V		Brush	Motor 2x200W			
Recharge Time 1hr 80% / 2hrs 100%						
Deck Size <b>440mm</b>		Runtime Up to 80mins				
Brush/Pad Size 2x220mm		Net V	Veight 21.3kg			





- » 1 hour fast charge
- » Clean, dry, safe and streak-free floors
- Centrifugal water delivery » Part of the NX300 Pro Cordless Network
- » Folds flat for easy storage
  » 520x850x1132mm (Wxl xH)

CECHOCOM TOETHIN (TIMESTI)						
<b>18L</b> Tank Capacity	100W Vac Motor	40	DOMM Deck Size	150RPM Brush Speed		
Power <b>36V</b>		Brush	Motor 175W			
Recharge Time 1hr 80% / 2hrs 100%						
Brush Size 400mm			Runtime	Up to 60mins		
Pad Size <b>360mm</b>		Net W	eight 34.0kg			





- 1 Battery Replacement on the TTB1840NX
- 2 Easy Battery Changing on the TTB3045NX





#### TTB3045NX (IIII)

- » 70mins runtime
- 1-hour fast charge Compact machine, big results
- Hot-swapping between batteries
- » Part of the NX300 Pro Cordless Network » 470x890x1100mm (WxLxH)

<b>30L</b> Tank Capacity	210W Vac Motor	45	<b>50MM</b> Deck Size	100RPM Brush Speed	
Power 2x36V		Brush Motor 300W			
Recharge Time 1hr 80% / 2hrs 100%					
Brush Size 450mm			Runtime	Up to 70mins	
Pad Size 400mm		Net W	/eight <b>79.0kg</b>		



# **70% LABOUR SAVING 80% LOWER WATER USE**

The 244NX is lightweight and easy to use, leaving floors clean, dry, safe and streak-free, whilst reducing labour costs by 70% and water use by 80%.\*

- » Up to 80 mins Runtime
- » 1 Hour Fast Charge
- » NX300 36V Lithium Power
- » "One Fits All" Battery





Watch the full video at: numatic.com/244NX

e saving of 70% vs mopping / wage £11 per hour, qm 7 days per week. Water use by 80% based on cing 16L mopping system, cleaning 7 days per week



Easy to Use Simple to set up and easy to use



**Adjustable Water Flow** Easily adjustable water flow to suit cleaning needs



Simple Fill Removable clean tank with "No-Spill" Ca



**Foot-operated Brush Deck** Simple and easy to engage brush deck




🛱 charity: water



**Around the World** 

See pages 8-9 for more information or visit: numatic.com/charitywater



### **4x Longer Lasting** than Lead Batteries

#### **Runs Longer**

Configurable performance that suits you, offering increased runtime of up to 44%\*. Ensuring you can keep cleaning when it is most convenient for you.

#### More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

#### **Fast & Flexible Charging**

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged.

NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

#### **Extended Long Life Power**

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 3-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

#### Mu-Track Insights<sup>‡</sup>

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet.



- ny comparisons used are based on typical usage scenarios, results may diffe
- †3-Year Warranty subject to terms and market availability, please contact Numatic for more information.
- ‡ Nu-Track subject to market / model availability. Launching Spring 2023.



#### **NEW NX1K LITHIUM RANGE**





- » Compact design
- » Powerful cleaning results
- » Fast & flexible charging
- » Configurable battery performance that suits you
- » On-board charging» 470x890x1100mm (WxLxH)

40L	400W		100RPM	
Tank Capacity	Vac Motor		Brush Speed	
Brush Motor 30	<b>ow</b> Dec		ck Size <b>450mm</b>	
Pad Size <b>400mm</b>		Brush Size <b>450mm</b>		
1 x Battery		2 x Battery		
Runtime 1hr 40mins		Runtime 3hr 10mins		
Recharge Time 2hr 30mins		Recharge Time 5hrs		
Net Weight 119.	3kg	Net Weight 136.6kg		



- » Compact design
- » Powerful cleaning results
- » Fast & flexible charging
- » Configurable battery performance that suits you
- » On-board charging» 560x1115x1160mm (WxLxH)

40L	40	<b>W</b> 0	100RPM	
Tank Capacity	Vac Motor		Brush Speed	
Brush Motor 30	0W	Dec	Deck Size <b>550mm</b>	
Pad Size <b>500m</b>	nm	Brush Size <b>550mm</b>		
1 x Battery		2 x Battery		
Runtime 1hr 40mins		Runtime 3hr 10mins		
Recharge Time 2hr 30mins		Recharge Time 5hrs		
Net Weight 124.	3kg	Net Weight 135.6kg		



- » Compact design
- Powerful cleaning results
  Fast & flexible charging
  Configurable battery performance that suits you
- On-board charging
   Traction drive makes cleaning inclines safer and easier
- » 560x1115x1160mm (WxLxH)

	40L	400W		100RPM
	Tank Capacity	Vac Motor		Brush Speed
	Brush Motor 300W		Dec	k Size <b>550mm</b>
	Pad Size <b>500mm</b>		Brush Size <b>550mm</b>	
	Traction Drive 250W		Drive Speed 0-4km/h	
	1 x Battery		2 x Battery	
	Runtime 1hr 40mins		Runtime 3hr 10mins	
	Recharge Time 2hr 30mins		Recharge Time 5hrs	
Net Weight 134 7kg		Net Weight 146 6kg		

NX1K battery platform powers commercial grade TwinFlo vacuum and brush motor for unrivaled cleaning performance, even in the most demanding environments.







- » Big capacity, compact design » Clean, dry, safe floors in minutes
- » Fast and flexible charging
- » Stay cleaning for longer with over 3 hours runtime
- » On-boarding charging

60L	40	OW	100RPM
Tank Capacity	Vac Motor		Brush Speed
Brush Motor 30	0W	Deck Size <b>550mm</b>	
Pad Size <b>500mm</b>		Brush Size <b>550mm</b>	
1 x Battery			2 x Battery
Runtime 1hr 40mins		Runtime 3hr 10mins	
Recharge Time 2hr 30mins		Recharge Time 5hrs	
Net Weight 115.6kg		Net Weight 127.0kg	



- » Big capacity, compact design
- Clean, dry, safe floors in minutes
  Fast and flexible charging
  Stay cleaning for longer with over 3 hours runtime

- On-boarding charging
   Traction drive makes cleaning inclines safer and easier
- » 560x1425x1120mm (WxLxH)
- 60L 100RPM

Tank Capacity	Vac I	Motor	Brush Speed	
Brush Motor 300W		Deck Size <b>550mm</b>		
Pad Size <b>500mm</b>		Brush Size <b>550mm</b>		
Traction Drive 25	Traction Drive 250W		Drive Speed 0-4km/h	
1 x Battery		2 x Battery		
1 x Battery			2 x Battery	
1 x Battery Runtime 1hr 35r	nins		2 x Battery time 3hr 5mins	
		Run		



- » Dual brush design

- » Powerful cleaning results
  » Fast & flexible charging
  » Configurable battery performance that suits you
- » On-board charging

  » 762v1513v1144mm(MyLvH)

» /62X1513X1144mm(WXLXH)						
400W		150RPM				
Vac Motor		Brush Speed				
Brush Motor 600W		k Size 720mm				
Pad Size 2x360mm		Brush Size 2x370mm				
Traction Drive 250W		Drive Speed 0-4km/h				
2 x Battery		3 x Battery				
Runtime 3hr 10mins		Runtime 5hr 40mins				
Recharge Time 5hrs		Recharge Time 7hrs 35mins				
0kg	Net Weight 188.7kg					
֡	Vac I	Vac Motor  Dec  mm Brush  OW Drive  Drive  Runtishrs Recharge				





- Compact design
   Powerful cleaning results
   Fast and flexible charging
   Stay cleaning for longer with over 3 hours runtime
- » On-board charging
  » 805x1460x1160mm (WxLxH)

, 00001400011001	11111 (VVXL	AI 1)						
80L	400	<b>W</b> 0	150RPM					
Tank Capacity	Vac N	Motor	Brush Speed					
Brush Motor 60	ow	Deck Size <b>550mm</b>						
Pad Size 508m	nm	Brush Size <b>550mm</b>						
Traction Drive 25	50W	Drive Speed 0-4km/h 2 x Battery						
1 x Battery	,							
Runtime 1hr 35r	mins	Runtime 3hr 5mins						
Recharge Time 2hr	30mins	Recharge Time 5hrs						
Net Weight 142.	3kg	Net Weight 153.7kg						

#### CRL8072



- » Compact design

- Best in class scrub width
   Fast and flexible charging
   Stay cleaning for longer with over 3 hours runtime
   On-board charging
- » 948x1460x1160mm (WxLxH)

80L	40	0W	150RPM					
Tank Capacity	Vac I	Motor	Brush Speed					
Brush Motor 60	0W	Deck Size <b>720mm</b>						
Pad Size 2x360	mm	Brush Size 2x370mm						
Traction Drive 25	50W	Drive Speed 0-4km/h						
1 x Battery		2 x Battery						
Runtime 1hr 35r	nins	Runtime 3hr 5mins						
Recharge Time 2hr	30mins	Recharge Time 5hrs						
Net Weight 162.	3kg	Net Weight 173.7kg						



2 TBL4045 3 TBL6055T



#### **Brushes and Pad Drives**



NuPad Red

General use floor cleaning pad for hard floors.

Suitable for light and daily cleaning jobs. Removes

light dirt and scuff marks. Supplied as pack of 5.

# **Specialised Brushes**Rotary Machines Only.



Wire Scarifying Brush Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Sandotex Disc Drive Highly abrasive disc. for use on rotary machine.




Carbotex Grinding Disc Carbon based discs provide high abrasive properties with long-life.



Heavy-Duty Scarifying Disc - Spirotex 6-Head Heavy-duty scarifying board fitted with 6 wire Spirotex heads.

						•												Ride-on		
				Rotary Floor Cleaners						TwinTec										
Туре	Image No.	Description	Brush / Pad Size mm	Part Number	HFM1515 / HFM1523	HFM1530	HFM1545	HFT1530	HNS1550	NLL332	244NX	TT1840G / TTB1840NX	TTB3045NX / TT4045G / TBL4045	TT4055G / TBL4055/T	TBL6055/T	TBL8572	CRL8055	CRL8072		
			330	606033						•										
	1 Polyscrub Brush		370	903449								•				•x2		•x2		
		400 450	606105 606203	•			•													
			550	606028										•	•		•			
	2	244NX Nyloscrub Brush Pack of 2	220	911931							•x2									
			330	606556						•										
	3	Nyloscrub Brush	370	903994												•		•		
	٦	Nylosci ub Brusii	450	606204	•			•					•							
es			550	606550										•	•		•			
Brushes			330	606104						•										
ш	4	Union Mix Polish Brush	400	606102								•								
	_	24407/1 17 2 11: 5 15 172	450	606202	•	•	•	•												
	5	244NX Long-life Scrubbing Brush Pack of 2	220	913800							•	_				_				
	6	Long life Comphing Proph	370 450	606302	•			•				•	•			•		٠		
	٥	6 Long-life Scrubbing Brush	550	606306 606551	_			_							•		•			
	H		370	606303								•		<u> </u>		•	_	•		
	7	7 Long-life Light Scrubbing Brush (Red)	450	606307	•			•								-				
	ľ	zong mo zigm conassing zhaon (noa)	550	901050										•	•		•			
	8	Floortec Heavy-Duty Scrubbing / Stripping Brush (Black)	450	606305	•			•												
	9	244NX PadLoc Drive Board (Black) Pack of 2	225	911844							•									
9			360	606400								•				•		•		
PadLoc	10	PadLoc Drive Board (Black)	400	606401	•			•					•							
			500	606403										•	•		•			
			360	900524								•				•		•		
01	11	NuLoc2 Drive Board	400	900525	•			•					•							
NuLoc2			500	900526										•	•		•			
ž	12	NLL Drive Board	330	606111						•										
	N/A 13	High Speed Spider NuLoc2 Drive Board (450rpm) (HFM1545)	400	900528			•													
	10	Flexi NuLoc2 Drive Board (300rpm) (HFM)	400	900326																
er	14	Porcupine Pad Holder	400	606700	•															
Othe	20	NuShine Topline Speed Burnish Pad Pack of 5	500	901622					•											
_	20	14dorinio Topinio Opeca Barristi i ad Lask of o	000	001022																
	15	244NX NuPad Red Pack of 10	225	912353							•									
	16	244NX NuPad White Pack of 10	225	912354							•									
_	17	244NX NuPad Green Pack of 10	225	912352							•									
NuPad	18	244NX PU-Pad Pack of 2	225	912356							•									
Ź	19	244NX Diamond Twister Pad Pack of 2	225	912355							•									
	21	NuPad Green Pack of 5	355	913228								•								
	22	NuPad Red Pack of 5	355	913226								•								
p D	23	Wire Scarifying Brush	400	606207	•															
alise	24	Sandotex Disc Drive	400	606209	•															
Specialised	25	Carbotex Grinding Disc	400	606208	•															
	26	Heavy-Duty Scarifying Disc Spirotex 6-Head	400	606211	•															





NuShine Topline Speed Burnishing Pad

(500mm). Supplied as pack of 5.

Burnishing pad for use with NuShine HNS1550

NuPad Green

Heavy-duty cleaning pad for hard floors. Suitable

for general daily cleaning jobs. Removes dirt and

scuff marks. Supplied as pack of 5.

# Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.

## **Hurricane / NuSpeed Accessories & TwinTec Blades**







HFT / HFM Solution Tank

**HFM / HNS** Optional Spraytec Kit




HFM / HFT 10kg Weight



Replacement Blade Set (2-Pieces) PN: 913810

Dustrol Kit (Grey)

PN: 906412 HNS1550 Dustrol Kit (Grey) PN: 906414 **HFM** Dustrol Control Brush Ring (Standard with Dustrol Kits) PN: 606079



TT1840G / TTB1840NX PN: 903531



HNS / HFM Micro HEPA Filter Dustrol Kit (Grey)



TT4045G / TBL4045 / CRL8055 / CRL8072 (805mm) PN: 900518 TT4055G / TBL4055/T / TBL6055/T / TBL8572 (944mm) PN: 900519 (1053mm) PN: 900520 Replacement Polyurethane Blade Set

### **TwinTec Tools & Accessories**



Aluminium Floor Tool Red polyurethane blades included **244NX** PN: 913830



Plastic Floor Tool Polyurethane TT1840G / TTB1840NX Blade





All TT / TTB / TBL Machines Wander Floor Kit (32mm) (Except TT1840G / TTB1840NX) PN: 607250



All TT / TTB / TBL Machines Wander Floor Kit (38mm), (Except TT1840G / TTB1840NX) PN: 606193



**CRL** Machines Wander Floor Kit (38mm), C/W Fitting Kit PN: 903183



Emptying Hose Extension Kit PN: 609100



244NX Transport Wheel Set PN: 914088

NX300 Battery



Aluminium Floor Tool Wide Angle Adjustable Castor PN: 908027 (Black), 908028 (Red)



Cable Roll Extension for Mains Machines 20m Cable Roll Extension UK PN: 612002



PN: 912361 **SWISS** PN: 912364 AUS/NZ PN: 912360 USA S.AFRICA PN: 912362 PN: 912363



NX300 Battery



NX300 Charging Dock



NX300 Dual

**NX300 Dual Charging Dock** with Mains Cable



Look out for the logo getting a **Genuine Numatic Part.** 



# VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality.

### **VersaCare Contents**

Mop Kits	76-77
MULTI-Matic Range	78-81
ECO-Matic Range	82-85
SERVO-Matic Range	86-89
PRO-Matic Range	90-94
SRK Kits	95
Carousel Range	97
NuBag Range	98-99
NuKeeper Range	100-105
NuKeeper Top Tray & Hood Kits	106
NuKeeper End Frame Kits	107









# **MOP KITS**

### **PCM403 POLYSTATIC 3-PIECE MOP SET**



- » C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad
- » Velcro Fixing
- » Pad Size 400mm

### **PSM400G POLYSTATIC SPRAYMOP SET**




- » C/W 50 x PolyStatic Mop Cloths
- » C/W Disposable PolyStatic Mop "Gripper" Pad
- » C/W 400ml Bottle
- » Velcro Fixing» Pad Size 400mm

### **DTK3 HANG-ON MOP SET**



- » C/W 1 x BluTec Microfibre Mop» Suitable for Vertical Press
- Hang-on Fixing » Pad Size 400mn

### **DTK8G SPRAYMOP MASTER SET**



» C/W 1 x BluTec Microfibre Velcro Mop

**DTK12G WING MOP** 

**PUMP ACTION SET** 

- » C/W 400ml Bottle
- » Velcro Fixing» Pad Size 400mm

### » C/W 1 x Bactiguard Mop **DTK13G WING MOP PUMP ACTION SET**



» C/W 1 x BluTec Microfibre Hang-on Mop

» Suitable for Vertical Press

» Hang-on Fixing

» Pad Size 400mm

- » C/W 1 x BluTec Microfibre Pocket Mop » Suitable for Vertical Press, Wide Press
- and MopMatic
- Pocket Fixing
- » Pad Size 400mm

### **PCM401 POLYSTATIC** 1-PIECE MOP SET



- » C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad
- Velcro FixingPad Size 400mm

### **DTK1 KENTUCKY MOP SET**



- » C/W 1 x Kentucky 400g Mop

**DTK4 VELCRO MOP SET** 

» C/W 1 x BluTec Microfibre Mop » Suitable for Wide Press and MopMatic

Velcro FixingPad Size 400mm

**DTK9 TWIST MOP** 

### **DTK6G SPRAYMOP MASTER SET**

» C/W 1 x BluTec Microfibre Pocket Mop

» Suitable for Vertical Press, Wide Press



» C/W 1 x BluTec Microfibre Pocket Mop » C/W 400ml Bottle

PCT400 POLYSTATIC

**TELESCOPIC MOP SET** 

» C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad

**DTK2 POCKET MOP SET** 

» Velcro Fixing» Pad Size 400mm

and MopMatic » Pocket Fixing» Pad Size 400mm


Pocket FixingPad Size 400mm

# **DTK10 MULTIMOP**



- » C/W 1 x Sponge» Folding Press
- » Sponge Size 350mm

### **POLYSTATIC GRIPPER PAD**



### **POLYSTATIC MOP DUSTERS**



- » Fits on PCM403, PSM400G
- » Pack of 50 x PolyStatic Mop Cloths (White / Red / Blue / Green / Yellow)
- Carton of 400 x PolyStatic Mop Cloths, (8 x 50) (White / Red / Blue / Green / Yellow)
- » C/W 2 x "Gripper" Pads

# **MOP KITS**

The MidMop is always on-hand and easily stored, with a compact design providing a go-anywhere twin-bucket mopping system.



MINIMUM 50% RECYCLED CONTENT POST-CONSUMER



### MM30G



- » C/W 1 x Sponge» Velcro Fixing» 30L Capacity Bucket
- » Folding Press» Castors: 4 x 50mm
- » Pad Size 350mm
- » 340x475x320mm (WxLxH)

### HB1812R



- » Vertical Press available with / without Foam Insert» 18L Clean Capacity / 12L Dirty Capacity

» 410x560x800mm (WxLxH)

- » Castors: 4 x 75mm
- » Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- » Vertical Press available with / without Foam Insert» 16L Clean Capacity / 16L Dirty Capacity
- » Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
  - » Optional Handle » Castors: 4 x 75mm

**MMB1616** 

- » 510x680x1020mm (WxLxH)





# **MULTI-MATIC TROLLEY RANGE**

# COMPACT & VERSATILE **MOPPING TROLLEY**





Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.





Model	ммо	MM1	MM2	ММЗ	MM4	MM5	ММ6	ММ7	MM8
Waste	-	-	70L	-	70L	-	70L	-	70L
Storage Options	-	-	-	-	-	Shelf	Shelf	-	-
Castors	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm
Dolly Mop Basket	-	Yes	Yes	-	-	-	-	-	-
Press	-	-	-	Vertical Press	Vertical Press	-		-	-
Buckets	-	2 x 5L							
Mop Bucket	-	1 x 28L	1 x 28L	1 x 15 / 1 x 17L	1 x 15 / 1 x 17L	-	-	1 x Dosed, 1 x 28L	1 x Dosed, 1 x 28L
Hooks	-	1 x Large T-Slot Hook							
Clips	-	1 x T-Slot Mopstick Clip							
Dimensions (WxLxH)	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm	480x940x1130mm



# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



















# **MULTI-MATIC MOP KITS & ACCESSORIES**

# **5L SWING BUCKET**



- 5L Swing Bucket, Red Handle PN: 905225
- 5L Swing Bucket, Blue Handle PN: 905226
- 5L Swing Bucket, Green Handle PN: 905227 5L Swing Bucket, Yellow Handle PN: 905228

### **5L SWING BUCKET LID**



Lid for 5L Swing Bucket, Clear PN: 902108

### **5L SWING BUCKET KIT**



- 5L Bucket Holder C/W Fixing, Black PN: 629050
- 5L Swing Bucket Kit, Red Handle PN: 906277 5L Swing Bucket Kit, Blue Handle PN: 906278
- 5L Swing Bucket Kit, Green Handle PN: 906279 5L Swing Bucket Kit, Yellow Handle PN: 906280

### 15L TWINMOP BUCKET



- 15L TwinMop Bucket, Red Handle PN: 905221
- 15L TwinMop Bucket, Blue Handle PN: 905222
- 15L TwinMop Bucket, Green Handle PN: 905223 15L TwinMop Bucket, Yellow Handle PN: 905224

**WASTE BAG** SECURING

**MOULDING** 

### **DTK3 HANG-ON MOP SET**

» Wet Floor Sign, Yellow, English B - PN: 901457

Wet Floor Sign with

A - PN: 629044

Tray-Fix Hooks, Yellow

WET FLOOR SIGN



- 1 x BluTec Microfibre Mop
- Suitable for Vertical Press
- Hang-on Fixing Pad Size 400mm PN: 629334

» 1 x Bactiguard Mop PN: 906460

**PCM403 POLYSTATIC** 

**3-PIECE MOP SET** 

» 50 x PolyStatic Mop Cloths

» Disposable PolyStatic Mop

**DTK9 TWIST MOP** 

"Gripper" Pad

» Pad Size 400mm

» Velcro Fixing

PN: 629813

### **DTK1 KENTUCKY** MOP SET



- » 1 x BluTec Microfibre Pocket Mop
- » Suitable for Vertical Press, Wide Press and MopMatic

**DTK2 POCKET MOP SET** 

- Pocket Fixing
- Pad Size 400mm PN: 629333

# **DTK13G WING MOP**





- » 1 x BluTec Microfibre Hang-on Mop
- » Suitable for Vertical Press
- » Pad Size 400mm

### **DTK12G WING MOP PUMP ACTION SET**

PN: 629332

1 x Kentucky 400g Mop

Suitable for Vertical Press



- 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press,
- Wide Press and MopMatic
- Pocket Fixing
- » Pad Size 400mm PN: 906205



- » Hang-on Fixing
- PN: 909278

### 17L FRONT **MOP BUCKET**



1 x 17L Bucket. Blue Handle Used on: MM3 / 4

**WASTE BIN LID** 

PN: 915058

### 15L REAR **MOP BUCKET**



1 x 15L Bucket, Red Handle Used on: MM3 / 4

Used on: MM1 / 3 / 5 / 7

**VERTICAL MOP** 

PN: 913981

**PRESS** 

PN: 915057

### **28L TWINMOP BUCKET**



- 28L TwinMop Bucket, Red Handle PN: 905217
- 28L TwinMon Bucket Blue Handle PN: 905218.
- 28L TwinMop Bucket, Green Handle PN: 905219 28L TwinMop Bucket, Yellow Handle PN: 905220
- Used on: MM1 / 2 / 7 / 8

### Dolly Mop Basket PN: 906729

**MOP BASKET** 



**FABRIC WASTE BAG** 

Dosed Mop Bucket Lid Used on: MM7 / 8 PN: 915406

### **MB400 MOP DOSING BUCKET**

PN: 913978

Used on: MM2 / 4 / 6 / 8



Dosed Mop Bucket, Blue Handle Used on: MM7 / 8 PN: 915407

75MM CASTOR X1

Castor x1 204118

Used on: MM2 / 4 / 6 / 8 PN: 913979

### **MOPMATIC** BUCKET **BRACKET FRAME**



**GREY CADDY** 

Carry Cleaning Products

PN: 628437

- Bracket Frame Used on: MM7 / 8 PN: 915613
- Dosed Mop Bucket
- 915326
- Boxed Pressed Assembly Used on: MM3 / 4
  - Twist Mop Assembly Used on: MM3 / 4 PN: 915237

**HOLDER** 

Twin 1L Bottle Holder,

ReFlo Black

PN: 910375

### **TWINMOP** WHEEL KIT

PN: 915060

Used on: MM5 / 6



1 x Mop Support for

PN: 915321

on-board Mop Storage

TWIN 1L BOTTLE MOP SUPPORT

KIT



Large Wheel Kit PN: 915320



Multi-pocket for Convenient Storage PN: 915319

A - Large T-Slot Hook (x1) PN: 911936

**LARGE & SMALL** 

T-SLOT HOOK








Grey, Roll x 10




- C T-Slot Clamp (x1) PN: 912528
- » B Small T-Slot Hook (x10) PN: 915325 | » D Mopstick Clip (x10) PN: 629883






- » A Large T-Slot Hook (x10) PN: 912547 » B Small T-Slot Hook (x1) PN: 915171 
  » C T-Slot Clamp (x10) PN: 912529 » D Mopstick Clip (x1) PN: 629874 » C - T-Slot Clamp (x10) PN: 912529







- 1 Compact, convenient and easy to store
- 2 Open shelf storage for easy access to all your cleaning equipment and supplies on the move.







# **ECO-MATIC TROLLEY RANGE**

# **MOPPING** STORAGE & WASTE

### The best value cleaning trolley range on the market.

- » Ergonomically Designed
- » Sustainably Engineered
- » Built to Last



POST-CONSUMER





# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.
















Sustainably engineered using the highest quality recycled plastic, each model in the ECO-Matic range benefits from 100% Structofoam construction, making it tough, easy to clean and built to last.





# **ECO-MATIC TROLLEY RANGE**





POST-CONSUMER

# **ALL-IN-ONE READY TO GO COMPACT SOLUTION**

### Offers an all-in-one, ready to go compact solution

- » Compact Design
- » Convenient Storage
- » Sustainably Engineered

# Nu-Design Bespoke Janitorial See pages 12-13 EM1-TM with Kits SRK15, SRK22 and DTK9 Twist Mop. EM2-TM with Kits SRK14, SRK22 and DTK9 Twist Mop. Consumables for illustration purposes only.

# EM1-TM EM2-TM

Model	EM1-TM	EM2-TM
Waste	120 / 2 x 70L	120 / 2 x 70L
Storage Options	Shelf	2 x Deep Drawers
Castors	4 x 100mm	4 x 100mm
Kits	SRK14 / 22 / DTK9	SRK14 / 22 / DTK9
Optional Security	-	Lockable Drawers
Wall and Door Buffers	Yes	Yes
Dimensions (WxLxH)	545x900x1000mm	545x900x1000mm

# **ECO-MATIC MOP KITS & ACCESSORIES**

### KIT SRK14



- 1 x 18L Blue Handle Bucket, Grey

  C/W Dolly Mop Basket

KIT SRK15



- 1 x 34L Blue Handle Bucket, Grey
- C/W Dolly Mop Basket Used on: EM1 / EM2 PN: 910439 Used on: EM3 / EM5 PN: 910440

### KIT SRK16 / SRK16K



- with Foam Insert for Flat Mops or without Foam Insert for Kentucky Mops
- 1 x 17L Red Handle Bucket, Grey 1 x 17L Blue Handle Bucket, Grey
- Used on: EM3 / EM5 PN: 910442 with Foam Insert PN: 910443 without Foam Insert

**MOP CLIPS** 

### KIT SRK19 BAG FRAME KIT



- 1 x ReFlo Bag Securing Frame
- 1 x Grey Lid
- C/W Colour-coded Discs Used on: EM3 / EM5 PN: 910843

### Rear Wheel Assembly » Used on: EM Range PN: 910758

SRK20

### KIT SRK21

MOP

**SUPPORT** 



- 4 x 5L Swing Pails 5L Swing Pail Handle,
- Used on: EM Range PN: 910898
- Red / Blue / Green / Yellov

### KIT SRK22



- 2 x 10L Buckets, Grey 10L Bucket Handle,
- Red / Blue » Used on: EM Range PN: 911401

# **ZIPPED LAUNDRY**



- 1 x Mop Support for On-board Mop Storage
- Used on: EM Range

# **BAG**



1 x Zipped Laundry Bag Used on: EM Range PN: 909369

# Mopstick Clip (x1) ReFlo Black PN: 629874

- Mopstick Clip (x10)
- ReFlo Black PN: 629883

  Used on: EM Range

## WET **FLOOR** SIGN

- Wet Floor Sign Assembly, Yellow, English
- Used on: EM Range

# SMALL T-SLOT HOOK



- » Small (x1) B PN: 915171 » Small (x10) B PN: 915325

### LARGE T-SLOT HOOK, ECO-MATIC BAG SPLITTER KIT



- Large (x1) A PN: 911936
- Large (x10) A PN: 912547
- 1 x Bag Splitter with Fixing Screws for Dual Waste
- C/W Bags C/W Roll of 70L Waste Bags
  - C/W Colour-coded Discs Used on: EM Range PN: 910840

1 x Bag Trapper Extrusion



## **NUMATIC QUICK**



- 1 x Numatic Quick Trolley Bracket Used on: EM Range
- C/W 1 x Bactiguard Mop » Used on: EM Range PN: 906460



- » Robust design to protect the Numatic Quick
- » Easy to fit
- » Compact in size
- » Intergrated non-marking buffers for wall and door protection







# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



- » Select your Trolley Base
- » Pick your Storage Options
- » Choose your Accessories
- » Submit your Configuration

Visit: numatic.com/apps/nu-design

SERVO-Matic offers a choice of 6 base units and a range of kits and accessories for limitless configurations.

### **SM RANGE**







### **SMX RANGE**







Model	SM1405	SM1415	SM1705	SMX1405	SMX1415	SMX1705
Waste	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L
Storage Options	-	Divided Tray	Storage Drawer	-	Divided Tray	Storage Drawer
Optional Castors	100 / 125mm & Braked	100 / 125 / 200mm & Braked	100 / 125 / 200mm & Braked	100 / 125mm & Braked	100 / 125 / 200mm & Braked	100 / 125 / 200mm & Braked
Kits	Multiple Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options
Buckets	2 x 5L	2 x 6L	4 x 5L or 2 x 10L	2 x 5L	2 x 6L	4 x 5L or 2 x 10L
Bin Surround	-	=	-	Yes	Yes	Yes
Dimensions (WxLxH)	570x835x970mm	570x1090x1115mm	570x1325x1115mm	570x835x970mm	570x1090x1115mm	570x1325x1115mm

# **SERVO-MATIC MOP KITS & ACCESSORIES**

### KIT SRK0 / SRK0K



- » Vertical Press available with / without Foam Insert
- » 1 x 15L Red Handle Bucket, Grey
- » 1 x 15L Blue Handle Bucket, Grey Used on: SM/SMX Range
   PN: 910413 with Foam Insert PN: 910414 without Foam Insert

### KIT SRK1 / SRK1K



- » Vertical Press available with / without Foam Insert
- 1 x 17L Red Handle Bucket, Grey
- » 1 x 17L Blue Handle Bucket, Grey » 1 x Bucket Support Tray
- » Used on: SM/SMX Range PN: 910415 with Foam Insert PN: 910416 without Foam Insert

### KIT SRK3



- Speedclean Wide Press
- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey
- » 1 x Extension Tray » Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910430

### KIT SRK4



- » 1 x MopMatic2 Bucket, Grey
- » C/W Set of Colour-coded Discs
- » 1 x 22L Red Handle Bucket, Grey
- » 1 x Extension Tray

**MMB1616** 

» C/W 2.5L Dosing Bottle

**MIDMOP OPTION** 

» Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910433

### KIT SRK5



- » 2 x MopMatic2 Bucket, Grey
- » C/W Set of Colour-coded Discs
- » 1 x Extension Tray
- » C/W 2.5L Dosing Bottle
- » Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910435

KIT SRK26

### KIT SRK6



KIT SRK2 / SRK2K

Vertical Press available with /

Used on: SM1415 / 1705 /

PN: 910425 with Foam Insert

PN: 910426 without Foam Insert

1 x 22L Red Handle Bucket, Grey

1 x 22L Blue Handle Bucket, Grey

without Foam Insert

1 x Extension Tray

SMX1415 / 1705

- 2 x MopMatic2 Bucket, Grey
- C/W Set of Colour-coded Discs
- 1 x 22L Red Handle Bucket, Grey, C/W Lid
- MopMatic2 Hang-on Frame, Nutex
- 1 x Extension Tray
- C/W 2.5L Dosing Bottle Used on: SM1415 / 1705 /

### KIT SRK62



- Hood Set
- Lockable
- Used on: SM1705 / SMX1705 PN: 910315

### SMX1415 / 1705 PN: 910436

KIT SRK50 / 51

### **BAG SPLITTER KIT**





- and Hinges Used on: SM1705 / SMX1705

PN: 911444

Optional Single

KIT SRK30

- Door and Back

  C/W Locks Optional Bin Surround Kit SRK50 Used on: SMX1405
  - SRK51 Used on: SMX1415
- » 1 x Bag Splitter with Fixing Screws for Dual Waste
- » C/W Roll of 70L Waste Bags » C/W Colour-coded Discs
- » Used on: SM / SMX Range PN: 910880

### **NUMATIC QUICK** TROLLEY BRACKET

Vertical Press available with without Foam Insert

» 510x680x1020mm (WxLxH)

» Used on:

SM1415 / 1705 /

SMX1415 / 1705



- 1 x Numatic Quick Trollev Bracket
- » Used on: SM / SMX Range PN: 915851



### **CUSTOMISABLE DOOR PANELS**

### KIT SRK27

Ontional Doors

C/W Locks

and Hinges

Used on:

SM1705 /

SMX1705

PN: 908171







# **PRO-MATIC TROLLEY RANGE**

# CONFIGURABLE

SAFE & SECURE

Nu-Design Bespoke Janitorial See pages 12-13





### Unlimited configuration options with complete versatility.

- » Fully Customisable
- » Safe & Secure
- » Sustainably Engineered





















# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

Model	PM10	PM11	PM12	PM20	PM21	PM22	PM30	PM31	PM32
Waste	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L
Storage Drawers	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Doors	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Castors Size	Optional								
Detachable Wheeled Bin	Yes								
Kits	Multiple Options								
Dimensions (WxLxH)	580x972x1073mm	580x972x1073mm	580x972x1073mm	580x1335x1073mm	580x1335x1073mm	580x1335x1073mm	580x1700x1073mm	580x1700x1073mm	580x1700x1073mm

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with PRO-Matic; meeting the precise requirements of any user, in any environment, for any application.





1 Safe and Secure Storage 2 Drawer Storage Options



# CONFIGURABLE CLEANING **SYSTEMS**

Visit: numatic.com/ apps/nu-design

# Design Bespoke Janitorial

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection.

See pages 12-13

## PRO-MATIC TROLLEY RANGE

The PM13 provides a lockable and manoeuvrable solution.



» Ontional Castors

- » Ontional Doors
- » Optional Storage Drawers

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.

> PM13 with SRK21 and SRK22 Kits, 2 x Deep Storage Drawers and 4 x Shallow Storage Drawers and Lockable Doors.



### PM13 OPTIONAL CONFIGURATIONS



- » 2 x Deep Storage Drawers
- » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners » Castors: 4 x 100mm
- » Lockable Doors
- » 4 x 5L Pails
- » 2 x 10L Buckets » 580x972x1073mm (WxLxH)



- » 2 x Deep Storage Drawers
- » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners » Castors: 4 x 100mm
- » 580x972x1073mm (WxLxH)

- » 2 x Deep Storage Drawers
- » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners » Castors: 4 x 100mm
- » Lockable Doors » 580x972x1073mm (WxLxH)

Our latest additions to the PRO-Matic Range, the PM24 and PM34 provide a lockable multi-waste recycling system.

The PM24 and PM34 offers the option to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.



Bespoke Janitorial

PM24 with SRK21 and SRK22 Kits and SRK28 Door Panel Kits.



PM34 with SRK21 and SRK22 Kits and SRK29 Door Panel Kits. Consumables for illustration purposes only.

# **PM24**

- » Waste 3 x 120L / 6 x 70L
- » End Detachable Wheeled Bins and Central Static Bin
- » Optional Castors
- » Lockable Doors
- » Industry Colour-coding » 580x1335x1073mm (WxLxH)

- » Waste 4 x 120L / 8 x 70L
- » End Detachable Wheeled Bins and Central Static Bins
- » Optional Castors
- » Lockable Doors
- » Industry Colour-coding

- manoeuvrable swing-out

bin for convenient waste removal. Colour-coding options available for effective

infection control.

Completely detachable and

**Removable Bin Feature** 

» 580x1700x1073mm (WxLxH)







# **PRO-MATIC MOP KITS & ACCESSORIES**

### KIT SRK1S / SRK1KS



- » Vertical Press with Stainless Steel Handle available with /
- without Foam Insert

  3 1 x 17L Red Handle Bucket, Grey
- 1 x 17L Blue Handle Bucket, Grey
- » 1 x Bucket Support Tray» Used on: PM10 / 20 / 30 PN: 909523 with Foam Insert PN: 910348 without Foam Insert

### KIT SRK2S / SRK2KS



- Vertical Press with Stainless Steel Handle available with / without Foam Insert
- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension TrayUsed on: PM10 / 20 / 30
- PN: 909524 with Foam Insert PN: 910349 without Foam Insert

### KIT SRK4



- » 1 x MonMatic2 Bucket Grev » C/W Set of Colour-coded Discs
- » C/W 2.5L Dosing Bottle
  » 1 x 22L Red Handle Bucket, Grey
  » 1 x Extension Tray
- » Used on: PM10 / 20 / 30 PN: 910433

### KIT SRK5



- » 2 x MopMatic2 Buckets, Grey
- » C/W Set of Colour-coded Discs » C/W 2.5L Dosing Bottle
- » 1 x Extension Tray » Used on: PM10 / 20 / 30 PN: 910435

### KIT SRK6S



- 2 x MopMatic 2 Buckets, Grey
- C/W Set of Colour-coded Discs
   C/W 2.5L Dosing Bottle
   1 x 22L Red Handle Bucket, Grey,
- C/W Lid MopMatic2 Hang-on Frame,
- Stainless Steel
- 1 x Extension Tray
  Used on: PM10 / 20 / 30

PN: 909526

### MIDMOP OPTION MMB1616

Used on: PM10 / 20 / 30 PN: 909525

1 x Extension Tray

Speedclean Wide Press with Stainless Steel Handle

1 x 22L Red Handle Bucket, Grey

1 x 22L Blue Handle Bucket, Grey

KIT SRK3S



- Vertical Press available with /
- without Foam Insert 510x680x1020mm (WxLxH) » Used on: PM10 / 20 / 30

### KIT SRK62S



- » Hood Set
- » Used on: PM Range PN: 910316

### » Lockable

### KIT SRK26 KIT SRK30



- Optional Doors » C/W Locks
- and Hinges » Used on: PM11 / 13 / 20/21/22/ 30/31/32



- Door and
- PN: 908171

**NUMATIC QUICK** 

TROLLEY BRACKET



- Optional Single Back Panel
- and Hinges Used on: PM11



- C/W Locks 13/20/21/22/
- 30/31/32 PN: 911444

# KIT SRK31



- Optional Double Doors and 2 x Back Panels
- C/W Locks and Hinges Used on: PM13 / 21 / 30 / 31 / 32

### KIT SRK49



- Swing-out Bin Used on:
- PM10 / 11 / 12 / 20 / 21 / 22 / 30 / 31 / 32 PN: 912815

# **BAG SPLITTER KIT**



- » 1 x Bag Splitter with Fixing Screws for Dual Waste » C/W Roll of 70L Waste Bags

- C/W Colour-coded Discs
   Used on: PM Range
   PN: 912817

### **CUSTOMISABLE DOOR PANELS**



» 1 x Numatic Quick Trolley Bracket Used on: PM Range PN: 915851



### KIT SRK27

Door Graphic Set No.1 Happy Cleaning PN: 908712

### KIT SRK28

Door Graphic Set No.2 Big Ben PN: 908173

### KIT SRK29

Door Graphic Set No.3 Sunflowers PN: 908174



# **SRK KITS**


KIT	PART No.	EM1	EM2	EM3	EM4	EM5	EM6	SM1405	SM1415	SM1705	SMX1405	SMX1415	SMX1705	PM10	PM11	PM12	PM13	PM20	PM21	PM22	PM30	PM31	PM32
SRK0	910413							•	•	•	•	•	•										
SRK0K	910414							•	•	•	•	•	•										
SRK1	910415							•	•	•	•	•	•										
SRK1K	910416							•	•	•	•	•	•										
SRK1S	909523													•				•			•		
SRK1KS	910348													•				•			•		
SRK2	910425								•	•		•	•										
SRK2K	910426								•	•		•	•										
SRK2S	909524													•				•			•		
SRK2KS	910349													•				•			•		
SRK3	910430								•	•		•	•										
SRK3S	909525													•				•			•		
SRK4	910433								•	•		•	•	•				•			•		
SRK5	910435								•	•		•	•	•				•			•		
SRK6	910436								•	•		•	•										
SRK6S	909526													•				•			•		
SRK8	911222								•	•		•	•	•				•			•		
SRK14	910439	•	•																				
SRK15	910440			•		•																	
SRK16	910442			•		•																	
SRK16K	910443			•		•																	
SRK19	910843			•		•																	
SRK20	910758	•	•	•	•	•	•																
SRK21	910898	•	•	•	•	•	•			•			•	•	•	•	•	•	•	•	•	•	•
SRK22	911401	•	•	•	•	•	•			•			•	•	•	•	•	•	•	•	•	•	•
SRK26	908171									•			•		•		•	•	•	•	•	•	•
SRK27	908172									•			•		•		•	•	•	•	•	•	•
SRK28	908173									•			•		•		•	•	•	•	•	•	•
SRK29	908174									•			•		•		•	•	•	•	•	•	•
SRK30	911444									•			•		•		•	•	•	•	•	•	•
SRK31	911447																•		•		•	•	•
SRK35S	909072																	•	•	•	•	•	•
SRK36S	909073																				•	•	•
SRK42S	909075														•								
SRK43S	909076																		•				
SRK44S	909232																					•	
SRK49	912815													•	•	•		•	•	•	•	•	•
SRK50	912849								•														
SRK51	912853									•													
SRK62	910315									•			•										
SRK62S	910316												•	•	•	•	•	•	•	•	•	•	•

Image shows NC1R-TM



# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



# CAROUSEL RANGE

The Carousel Range features removeable caddy storage and verstatile waste for everyday cleaning solutions.



- » Waste 70L
  » 2 x 5L Swing Pails
  » C/W SprayMop Master and Tray
  » Castors: 4 x 80mm
  » 480x545x890mm (WxLxH)

NC1R

- Waste 70L
  1 x 4L Small Caddy
  14L Bucket and Dolly Mop Basket
  Castors: 4 x 80mm
  Optional Twist Mop (NC1R-TM)
  480x545x890mm (WxLxH)



- Waste 2 x 70LCastors: 4 x 80mm480x545x890mm (WxLxH)



- » Waste 70L
  » 1 x 4L Small Caddy
  » 1 x 10L Large Caddy
  » Castors: 4 x 80mm
  » 480x545x890mm (WxLxH)



- 2 x 4L Small Caddy2 x 10L Large CaddyCastors: 4 x 80mm
- » 480x545x890mm (WxLxH)





# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

# **NUBAG RANGE**

The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.



Twin waste, linen and laundry modules have always been popular in commercial establishments. The dual-end design can incorporate waste and laundry, linen and laundry

or waste and linen.













Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.











- 1 NX1002 (Consumables for illustration purposes only.) 2 X Fold Design for Compact Storage
- 3 Integrated Laundry Bag Closure System







Model	NX1001	NX1002	NX1501	NX2001	NX2401
Waste	100L	2 x 100L	150L	200L	240L
Castor Size	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm
Dimensions (WxLxH) 390x460x960mm		460x760x960mm	460x760x760mm	460x760x960mm	550x780x960mm

# **NUKEEPER RANGE - NKS SINGLE & LOW LEVEL**

Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.







PRE-CONSUMER



NKS1R







### NKS1R









NKS1LLR





Munaile Reft





Chinette Refle

- 1 Folding Bag Ends and Heavy-duty Construction
- 2 Easily Detachable Laundry Bags
- 3 Flexi-Front Enclosure
- 4 Numatic Quick Trolley Bracket

Model	NKS1LLR	NKS2LLR	NKS1R	NKS2R	
Waste	1 x 100L	2 x 100L	1 x 100L	2 x 100L	
Castor Size	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	
Height	Low Level	Low Level	Full Height	Full Height	
Storage	1 x Shelf	1 x Shelf	2 x Shelves	2 x Shelves	
Dimensions (WxLxH)	582x998x1026mm	582x1420x1026mm	582x998x1352mm	582x1420x1352mm	

# **NUKEEPER RANGE - NKT TWIN & LOW LEVEL**

Compact in size... Big on storage. The NKT range has a Flexi-Front enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.



# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.













**NKT1LLR** 







Model	NKT0R	NKT1R	NKT2R	NKT0LLR	NKT1LLR	NKT2LLR
Waste	-	1 x 100L	2 x 100L	-	1 x 100L	2 x 100L
Castor Size	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Height	Full Height	Full Height	Full Height	Low Level	Low Level	Low Level
Storage	2 x Twin Shelves	2 x Twin Shelves	2 x Twin Shelves	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH)	582x940x1352mm	582x1361x1352mm	582x1783x1352mm	582x940x1026mm	582x1361x1026mm	582x1783x1026mm



# **NUKEEPER RANGE - NKU PROFESSIONAL UNIVERSAL**

The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.





PRF-CONSUMER



# **NKU30RFF**





2 Lockable Tablet Option 3 Flexi-Front System

Consumables for illustration purposes only.







# **SPACE-SAVING CUSTOMISABLE SECURE**











I	I	I	I	I	I	<b>I</b>
Model	NKU30RFF	NKU30RHF	NKU31RFF	NKU31RHF	NKU32RFF	NKU32RHF
Waste	-	-	1 x 100L	1 x 100L	2 x 100L	2 x 100L
Castor Size	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain
Closure	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors
Security	-	Lockable	-	Lockable	-	Lockable
Storage	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH)	667x1116x1205mm	667x1116x1205mm	667x1532x1205mm	667x1532x1205mm	667x1948x1205mm	667x1948x1205mm

# **NUKEEPER TOP TRAY & HOOD KITS**

A complete range of accessory kits provide the specification you need with no compromise.

### NKA1 NKA2 NKA3 1 x Tray with Lid 1 x Tray with Divisions and Lid 1 x Half Tray 2 x Tray with Divisions and Lid1 x Half Tray » 2 x Tray with Lid » 1 x Half Tray PN: 903700 PN: 903698 PN: 903699 NKA4 NKA6 NKA5 » 1 x Tray » 1 x Tray with Divisions » 1 x Half Tray PN: 903701 2 x Tray1 x Half TrayPN: 903702 » 2 x Tray with Divisions » 1 x Half Tray PN: 903703 NKA7R NKA8R NKA9R » 1 x Hood Set » 1 x Tray with Lid » 1 x Hood Set » 2 x Hood Set » 1 x Half Tray PN: 913415 » 1 x Half Tray PN: 913416 » 1 x Half Tray PN: 913417 NKA10R NKA11R NKA12R » 1 x Hood Set » 1 x Hood Set » 1 x Hood Set » 1 x Tray with Divisions and Lid » 1 x Half Tray » 1 x Tray » 1 x Half Tray » 1 x Tray with Divisions » 1 x Half Tray PN: 913418 PN: 913419 **NKA13 TOP KIT** NKU3R2FF (Flexi-Front shown with Hood Kit NKA12R)

# **NUKEEPER END FRAME KITS**

# NKA100PR

Bag Capacity 1 x 100L
 Optional Moulded Laundry Bag Extension Kit PN: 913190

# NKA100PAR

Bag Capacity 1 x 100L » Optional Moulded Laundry Bag Extension Kit » Adjustable Handle



» Waste 1 x 120L

NKA140PR

- » Optional Moulded Full Waste Bag Extension Kit » C/W 3-Piece Lid Set, Black
- PN: 913376

### NKA102PR



- » Waste 1 x 140L / 2 x 70L» Optional Moulded Twin Waste Bag Extension Kit
- » C/W Split Lid Set, Red / Blue PN: 913395

PN: 910627



NKA111UR

- » Waste 1 x 120L» Optional Moulded Linen Bag Extension Kit
- C/W 3 Piece Lid Set, Black PN: 913397

- » Waste 1 x 120L» Optional Moulded Full Waste Bag Extension Kit
- C/W iPad / Tablet Storage Lid Set, Black
- PN: 913400 NKA112UR

### NKA109UR



- » Optional Vacuum Storage Platform and Support
- PN: 913402
- » Frame Kit, Black» Used on: NKU Models Only

- » Optional End Kit Twin End Half Tray Kit, Black » Used on: All NKS / NKT / NKU Models
- PN: 913409

» Optional End Kit Twin End Full Tray Kit, Black » Used on: All NKS / NKT / NKU Models

### PN: 913411

**NUMATIC QUICK** 

# NKA120R



» Optional End Kit SprayMop Tray Kit, Black Used on: All NKS / NKT / NKU Models PN: 913412

For illustration purposes, all tray kits

### NKA130UR



» Optional End Kit 30 Litre Waste Bin Kit, Black » Used on: All NKS / NKT / NKU Models PN: 913413



» 1 x Numatic Quick Trolley Bracket » Used on: All NKS / NKT / NKU Models



» Top Kit - Laundry Support Set

PN: 907145



